



GET THE AARDWOLF AADVANTAGE



USA STORAGE & TRANSPORT FRAMES CATALOGUE

WWW.AARDWOLFUSA.COM



PRODUCT CATALOG

3 - 4 **FOLDING 'A' FRAMES**

5 - 7 **DEMOUNTABLE FRAMES**

- Demountable Frames
- Base Only
- Top Frames Only
- Replacement Rubber Strips

8 - 9 **STORAGE FRAMES**

- Storage 'A' Frames
- Stacking Rack

10 - 16 **TRANSPORT FRAMES**

- Transport Frames - 'A' Frames
- Single Side Transport Racks
- Drywall Trolleys
- Slab Buggy Single Side / Double Side / Economy

17 - 19 **WOLF RACKS**


- Wolf Racks
- Wolf Racks Pocket
- Wolf Racks Single Side
- Wolfrack Cart
- Harp Rack / Roller Block / Aluminum Toolbox



Hauling granite and marble isn't easy, and it certainly isn't safe if you don't have the right equipment. A well-made transporting frame is necessary for the safety of the driver and other workers and for the protection of the granite and marble.

The sturdy Aardwolf Folding 'A' Frame, with its unique integrated vertical locking bars and ratchet locking straps, is designed to hold all material safely and securely, eliminating risks to the operator and preventing damage to materials. The load is secured independently on each side by two vertical locking bars, which are inserted into brackets at the base of the frame and held by ratchet locking straps at the top.

The unloaded frame can be folded up by simply withdrawing two spring-loaded pins from the cross braces and lowering the three wheels at one end by means of a cam lever. The lowered wheels also allow the frame to be positioned on the tray of a truck or manually moved around the factory.




FOLDING 'A' FRAMES

- Bolt holes in the base of the frame for optionally securing the Folding 'A' Frame to the vehicle.
- Granite is secured by rubber pads mounted on cleats, which are adjustable in height along the vertical locking bars.
- Large hand-tightened wing nuts are used to tighten the cleats to the vertical locking bars.
- Powder-coated finish.


Product Code: **FAF1600**

Specifications	Imperial
Width of slab storage base area on each side	15.2"
Working load limit per side	6614 lb
Total working load limit	13228 lb
Net weight	492 lb




Product Code: **FAF1800**

Specifications	Imperial
Width of slab storage base area on each side	13.9"
Working load limit per side	6614 lb
Total working load limit	13228 lb
Net weight	536 lb



Product Code: **FAF2100**

Specifications	Imperial
Width of slab storage base area on each side	18.3"
Working load limit per side	8267 lb
Total working load limit	16534 lb
Net weight	619 lb




DEMOUNTABLE FRAME

This product is ideal for storing and transporting finished work both within the factory and to building sites. Many users prefer to have two A-frames for each base: one on their truck and one on the base in the factory. This system allows for the efficient transfer of materials. When the truck returns from a job, the empty frame can be swapped for a full one, ensuring continuous operation. Frames can be loaded onto the truck using a forklift or crane.



DIMENSIONS




Specifications

Imperial

Width of slab storage base area on each side	12"
Working load limit per side	827 lb
Total working load limit	1653 lb
Net weight	202 lb

- Sturdy and safe structure for transporting materials
- Covered with a particular rubber layer for protecting materials
- The frame has two hooking points to hook to an overhead crane
- The stick-out handle facilitates the transport of materials



Top Frame Only **TFDFF24**



Base Only **BDFF200**





Demountable Frame **DFF200**

Specifications Imperial

Width of slab storage base area on each side	11.8"
Working load limit per side	1102 lb
Total working load limit	2204 lb
Net weight	225 lb

- **Sturdy and Safe Structure:** Designed for secure transportation of materials
- **Protective Rubber Layer:** Ensures materials are shielded from damage
- **Dual Hooking Points:** Allows easy attachment to an overhead crane
- **Stick-Out Handle:** Facilitates easy handling and transportation of materials

DIMENSIONS



Top Frame Only **TFDFF24**



Base Only **BDFF400**





Demountable Frame **DFF400**

Specifications Imperial

Width of slab storage base area on each side	11.8"
Working load limit per side	1102 lb
Total working load limit	2204 lb
Net weight	388 lb

- **Sturdy and safe structure** for transporting materials
- **Covered with a particular rubber layer** for protecting materials
- **The frame has two hooking points** to hook to an overhead crane
- **The stick-out handle facilitates the transport** of materials


DIMENSIONS



Product Code: DFF1500PC

- A sturdy structure is designed to eliminate any risk of the slab tipping over.
- Slabs are placed on unique rubber profiles and secured with 6 adjustable locking bars.
- Six locking bars per frame are mounted in slotted holes on the bottom.
- The frame features 2 hooking points to be picked up by an overhead crane.
- Built-in brackets on all underneath sides for forklift transport.
- Powder-coat paint finish.

DIMENSIONS




Specifications	Imperial
Width of slab storage base area on each side	14.2"
Working load limit per side	1102 lb
Total working load limit	2204 lb
Net weight	281 lb

Product Code: DAF2350PC



DIMENSIONS



It is ideal for transporting and storing material within the factory or transporting material to building sites. Rubber is provided on frame surfaces for maximum protection. Heavy-duty wheels allow easy maneuvering of your fully loaded cart in the workshop and on the construction site. Fits inside a standard pick-up truck. Frames can be safely placed on your truck with a forklift or crane.

Specifications	Imperial
Width of slab storage base area on each side	11.8"
Working load limit per side	1102 lb
Total working load limit	2204 lb
Net weight	225 lb

DEMOUNTABLE FRAMES

STORAGE 'A' FRAMES

Product Code: **SAF01**



The heavy-duty Aardwolf 'A' Frame SAF01 is a very safe frame for storing large marble and granite slabs. The base rails have pockets, which allow the safety posts to be moved and placed right up against slabs after some slabs are removed. High winds have been known to suck slabs off frames, especially when slabs are stored outside. These frames are all about safety so you sleep well at night, even during wild weather. The 'A' frame includes protective timber on the base rails and rubber cushioning material on the face of the uprights. Steel cross member and fasteners included.


STORAGE FRAMES

Specifications Imperial

Working load limit	33069 lb
Net weight	263.5 lb
Gross weight	265 lb

- Heavy-duty steel construction.
- Full slab design.
- Store slabs on both sides.
- Durable powder coat finishes for weather protection.
- Holes in the base rail drain water to reduce corrosion.
- Rubber pads on the face of the vertical frame.

DIMENSIONS



STONE 'A' FRAME - STANDARD

Product Code: **SAF02-S**

The Aardwolf 'A' Frame SAF02-S is a basic 'A' Frame for supporting natural and engineered stone slabs. 4"x2" C channel on the bottom allows timber gluts to be put into the channel if preferred. Steel cross member and fasteners included.




Specifications Imperial

Working load limit	26455 lb
Height handle full slabs	59 in
Net weight	118.6 lb

- Steel construction.
- Full slab design.
- Durable powder coat finish for weather protection.
- Holes in the base rail drain water to reduce corrosion.

DIMENSIONS




STONE 'A' FRAME – HEAVY DUTY

Product Code: **SAF02-HD**

The Aardwolf 'A' Frame SAF02-HD is a heavy-duty 'A' Frame for supporting natural and engineered stone slabs. 4"x2" C channel on the bottom allows timber gluts to be put into the channel if preferred. Steel cross member and fasteners included.



DIMENSIONS



Specifications

Imperial

Working load limit	33069 lb
Net weight	172 lb
Gross weight	183 lb


- Store slabs on both sides.
- Heavy-duty steel construction.
- Full slab design.
- Sold and used as a set.
- Durable powder coat finish for weather protection.
- Holes in the base rail drain water to reduce corrosion.

STORAGE FRAMES


STONE 'A' FRAME - PLUS

Product Code: **SAF03**

The heavy-duty Aardwolf 'A' Frame SAF03 has been designed to unpack slabs from wooden crates. Large angled, lacquered wooden gluts fitted in the base channel create a bias so that slabs fall towards the frame. Strong safety posts with sections 2"x2" at the rail ends protect workers in case of mishaps where the slabs tip away from the frame.



DIMENSIONS



Specifications

Imperial

Working load limit	33069 lb
Safety posts	1.96 x 1.96 x 55.11 in
Net weight	226 lb

TRANSPORT FRAMES QP-SERIES

The QP Frames are designed for delivering heavy sheets of glass and stone to construction sites where a robust and heavy frame is needed to lift the complete load and frame together onto building sites. The fully loaded frame can easily be moved around the floors on different levels of construction sites.


- Sturdy and safe structure, designed to eliminate any risk of slabs tipping over.
- Load-bearing surfaces are topped with rubber to prevent scratches and damage to goods being transported.
- It contains two lifting eyes at the top frame for lifting frames on and off trucks with a crane.
- It has four lifting points at the corner of the frame base for lifting loaded frames on and off trucks and onto building sites.
- Handles are located at the end of "A" frames.
- Wheels with brakes to ensure safety in operation.
- Four locking bars per frame are mounted in slotted holes on the bottom.
- A powder-coated finish ensures an aesthetic feature as well as the durability of the product.




Product Code: AF1850QP

Specifications	Imperial
Width of slab storage base area on each side	11.6"
Working load limit:	<ul style="list-style-type: none">• Fork End: 2425 lb• Fork Side: 5511 lb• Eyelet: 5511 lb• Bow-Shackles: 5511 lb• Wheels: 5511 lb• Stationary: 8818 lb
Net weight	542 lb

DIMENSIONS



DIMENSIONS




Product Code: AF2440QP

Specifications	Imperial
Width of slab storage base area on each side	12.7"
Working load limit:	<ul style="list-style-type: none">• Fork End: 4409 lb• Fork Side: 6614 lb• Eyelet: 6614 lb• Bow-Shackles: 6614 lb• Wheels: 5511 lb• Stationary: 8818 lb
Net weight	619 lb

TRANSPORT FRAMES TF-SERIES



The Aardwolf Transport Frames are designed for storing and transporting kitchen tops and other sheet materials such as granite, marble, engineered stone, glass, and natural stone countertops. The frames are powder-coated finish (or galvanized finished upon request) to provide a long-lasting structure. They are equipped with locking bars and ratchet straps to hold and transport loads securely. Aardwolf Transport Frames are the most versatile frames on the market.




- Frames are delivered with bolts pre-installed.
- One man easily assembles frames.
- Frames can be assembled in 5 minutes.
- Support legs for truck transportation can be lowered in seconds.
- Large counter lever with wheels makes manual moving of loaded frame easy.
- Two diagonal stays create a robust, ridged design.
- Sold with white rubber locking bars, together with ratch straps.
- The frame was designed so that fork tynes reach right through to the far side of the frame.
- Fully loaded frames can be loaded and unloaded from the truck with a forklift. (Very safe & convenient).
- Built-in forklift receivers on all sides for lifting by forklift.
- The base and uprights come with replaceable white rubber to prevent markings and scratches.

TRANSPORT FRAME

Product Code: **TF2000**

Specifications	Imperial
Number of wheels	4 pcs
Straps on each side	3 pcs
Width of slab storage base area on each side	10.6"
Length	78.7"
Working load limit per side	2756 lb
Total working load limit	5511 lb



TRANSPORT FRAME

Product Code: **TF2000G**

Specifications	Imperial
Number of wheels	4 pcs
Straps on each side	3 pcs
Width of slab storage base area on each side	12.6"
Working load limit	3307 lb


GALVANISED



TRANSPORT FRAME

Product Code: **TF3050**


Specifications	Imperial
Width of slab storage base area on each side	10.6"
Length	120"
Straps with each side	5 pcs
Working load limit per side	2756 lb
Total working load limit	5511 lb



TRANSPORT FRAME

Product Code: **TF2440**

Specifications	Imperial
Number of wheels	4 pcs
Straps with each side	4 pcs
Width of slab storage base area on each side	10.6"
Length	96"
Working load limit per side	2756 lb
Total working load limit	5511 lb



TRANSPORT FRAME

Product Code: **TF2440G**


Specifications	Imperial
Number of wheels	4 pcs
Straps with each side	4 pcs
Width of slab storage base area on each side	10.6"
Length	96"
Working load limit per side	2756 lb
Total working load limit	5511 lb

GALVANISED

TRANSPORT FRAME

Product Code: **TF3050H**

Specifications	Imperial
Width of slab storage base area on each side	8"
Straps with each side	3 pcs
Length	120"
Height	91.2"
Working load limit per side	2756 lb
Total working load limit	5511 lb





- Heavy-duty construction is fabricated with 40mm (1.57") square steel tubing. Stronger than competitive models.
- Rubber strips mounted on the bottom and back support to protect materials from damage and no marks.
- Uprights mount in slotted holes for full-depth adjustments.
- Quick-release straps.
- Heavy-duty powder-coated finish.
- Ships are knocked down, and the top A-frame assembly is one piece bolted to the frame to save on freight costs.

SINGLE SIDE TRANSPORT RACKS


The Aardwolf Single Side Transport Rack is meticulously engineered to transport various sizes of fabricated products, ensuring versatility and efficiency in handling.



Product Code: SSTR-2000

Specifications	Imperial
Width of slab storage base area on each side	15.27"
Working load limit	5511 lb
Net weight	302 lb


DIMENSIONS



Product Code: SSTR-2440


Specifications	Imperial
Width of slab storage base area on each side	15.27"
Working load limit	5511 lb
Net weight	355 lb

DIMENSIONS





DIMENSIONS



DRYWALL TROLLEY

Product Code: DWT-1180P


The Aardwolf Drywall Trolley DWT-1180P is ideal for transporting many boards from doors, fences, drywall & large sheet panels within the factory and on building sites. Heavy-duty casters allow easy maneuvering of fully loaded carts in the workshop and construction site.

Specifications	Imperial
Width of slab storage base area	11.8"
Working load limit	2204 lb
Net weight	75 lb

- It is equipped with a crossbar for transporting and storing small stone slabs.
- The load-bearing and the base surfaces are mounted with rubber and timber to prevent stone slabs from breaking.
- Two fixed casters and two rotary casters for easy control.
- The smart arrangement of parts to increase stability.
- Durable electrostatic coating.



DIMENSIONS



DRYWALL TROLLEY

Product Code: DWT-1180P

The Aardwolf Drywall Trolley DWT-1180 is ideal for transporting a vast range of boards from doors, fences, drywall & large sheet panels within the factory and on building sites. Heavy-duty casters allow easy maneuvering of fully loaded carts in the workshop and on the construction site.

Specifications	Imperial
Width of slab storage base area	12"
Working load limit	2204 lb
Net weight	64 lb

- Swivel casters with brake.
- Two fixed casters and two rotary casters for easy control.
- The smart arrangement of parts to increase stability.
- Durable electrostatic coating.

SLAB BUGGY SINGLE SIDE

Product Code: SBSS

It is ideal for transporting material within the factory and on building sites. Rubber is provided on frame surfaces for maximum protection. Heavy-duty wheels allow easy maneuvering of fully loaded carts in the workshop and construction site.



Specifications	Imperial
Width of slab storage base area	8"
Working load limit per side	661 lb
Total working load limit	1323 lb
Net weight	98.8 lb

- Rubber is topped on the frame as well as underneath to prevent scratches.
- Swivel wheels with hinge bolts.
- Pneumatic rear wheels for easy control.
- The smart arrangement of parts to increase stability.
- Durable electrostatic coating.

SLAB BUGGY DOUBLE SIDE

Product Code: SBDS

Popular in factories and on building sites. Rubber is provided on frame surfaces for maximum protection. Heavy-duty wheels allow easy maneuvering of fully loaded carts.



Specifications	Imperial
Width of slab storage base area	8"
Working load limit per side	827 lb
Total working load limit	1653 lb
Net weight	136 lb

- The bottom pads and frame face have replaceable rubber strips which protect the load from shifting and scratches
- Two swivel wheels with brakes are mounted on the front, and two rigid pneumatic wheels on the back for easy handling. All are mounted outside of the steel frame for stability
- Powder-coated finish

ECONOMY SLAB BUGGY SINGLE SIDE

Product Code: SBSS-E

The Economy Slab Buggy Single Side is a cost-saving version that is ideal for transporting sheet materials such as stone slabs and glasses within the factory and on building sites. Rubber is topped on the frame for maximum protection.

It also features four heavy-duty wheels (two solid wheels and two lockable swivel wheels), allowing easy maneuvering of fully loaded carts in the workshop and on the construction site.

































Specifications	Imperial
Width of slab storage base area	8"
Working load limit	882 lb
Net weight	89.7 lb

- Rubber is topped on the frame as well as underneath to prevent scratches.
- Swivel wheels with hinge bolts.
- Pneumatic rear wheels for easy control.
- The smart arrangement of parts to increase stability.
- Durable electrostatic coating.






















WOLF RACK

The Wolf Racks have an A-frame structure that is manufactured from 2mm thick sheet metal. The frames have an open structure. The tops of the individual A-frames contain rivet nuts and are bolted into a U shape tie bar with self-aligning bolts while load bars are fitted into slots at the base of the A-frames on each side. The load bars are also fastened by self-aligning bolts screwed into rivet nuts, which are permanently fixed at the base of the A-frames. This produces a rigid connection and allows assembly without special skills and only one tool.



DIMENSION IN METRIC	 47.2"	 63"	 78.7"	 118.1"
Product Code: WRSS750 	WRSS750-1200  Working load limit: 2204 lb	WRSS750-1600  Working load limit: 2204 lb	WRSS750-2000  Working load limit: 2645 lb	
WRSS1000 	WRSS1000-1200  Working load limit: 2204 lb	WRSS1000-1600  Working load limit: 2204 lb	WRSS1000-2000  Working load limit: 2645 lb	
WRSS1270 	WRSS1270-1200  Working load limit: 2204 lb	WRSS1270-1600  Working load limit: 2204 lb	WRSS1270-2000  Working load limit: 2645 lb	
WR750 	WR750-1200  Working load limit: 2204 lb	WR750-1600  Working load limit: 2204 lb	WR750-2000  Working load limit: 2645 lb	
WR1000 	WR1000-1200  Working load limit: 2204 lb	WR1000-1600  Working load limit: 2204 lb	WR1000-2000  Working load limit: 2645 lb	WR1000-3000  Working load limit: 2645 lb
WR1270 	WR1270-1200  Working load limit: 2204 lb	WR1270-1600  Working load limit: 2204 lb	WR1270-2000  Working load limit: 2645 lb	WR1270-3000 




DIMENSION IN METRIC	 47.2"	 63"	 78.7"	 118.1"
WR1570 	WR1570-1200  Working load limit: 2204 lb	WR1570-1600  Working load limit: 2204 lb	WR1570-2000  Working load limit: 2645 lb	WR1570-3000  Working load limit: 2645 lb
WRP750 	WRP750-1200  Working load limit: 2204 lb	WRP750-1600  Working load limit: 2204 lb	WRP750-2000  Working load limit: 2645 lb	
WRP1000 	WRP1000-1200  Working load limit: 2204 lb	WRP1000-1600  Working load limit: 2204 lb	WRP1000-2000  Working load limit: 2645 lb	
WRP1270 	WRP1270-1200  Working load limit: 2204 lb	WRP1270-1600  Working load limit: 2204 lb	WRP1270-2000  Working load limit: 2645 lb	

WOLF RACK CART

Product Code: **AWRC**

Specifications Imperial

Working load limit	2204 lb
Wheel diameter	7.9"
Net weight	42.5 kg



The convenient Wolfrack Cart holds all six model Wolfracks (sold separately). The Cart has the added convenience of being able to be folded down for easy storage or transport when empty. The zinc scratch-resistant finish and the heavy-duty wheels allow easy maneuvering of your fully loaded cart in the workshop and on the construction site. Fits through standard doorways.

AARDWOLF HARP RACK

Product Code: **AHR**

The Aardwolf Harp Rack is designed for storing glass panels. This Harp Rack will store sheets up to 59 x 31.5 inches. Plastic-sheathed steel rods are strung within the frame. Sheets are slipped into the grooves of the flooring and are held in place between the rods of the frame. It has 45 slots. The Harp Rack can be combined with the Packrack cart, which has four casters and two locking wheels, allowing easy movement within the factory.

Specifications	Imperial
Number of slots	45 pcs
Slot width	0.4"
Working load limit	2204 lb

- Stores full-size plates or cutoffs
- Glass can be quickly and safely retrieved
- Diagonal harp-type plastic-covered rods used as dividers
- Additional horizontal rods are used to stabilize the glass



**REPLACEMENT
RUBBER STRIPS
22M ROLL RRS22M**



**ROLLER BLOCK
ARB**



**ALUMINUM TOOLBOX
AATB**





AUSTRALIA

1/5 Stanton Road, Seven Hills NSW 2147
Tel: 02 9838 8427
Email: enquiries@aardwolfaustralia.com
Web: www.aardwolfaustralia.com

BULGARIA

Str. Usta Kolio Ficheto 33
Tel: +359 887 933 754
Email: adrian@toolrange.com

GERMANY

Schulze-Delitzsch-Weg 2, 33175 Bad Lippspringe
Tel: 05252 8382830 Email: sales@aardwolf.com.de

INDIA

Harmara Road, Industrial Area, Madanganj, Kishangarh,
District- Ajmer, Rajasthan India 305801
Tel: 02 9838 8427 Email: sales@aardwolf.co.in
Web: www.aardwolf.co.in

USA

9401 Norwalk Blvd, Santa Fe Springs, CA 90760
Tel: (562) 553-6050
Email: sales@aardwolfusa.com
Web: www.aardwolfusa.com

OUR LOCATIONS



Get The Aardwolf AAdvantage

VIETNAM

1B, An Phu, Thuan An City, Binh Duong Province, Vietnam
Tel: +84 931 707 793
Email: info@aardwolf.com.au
Web: www.aardwolf.com.au