GENERAL CATALOGUE

FOR STONE, GLASS & STEEL INDUSTRIES

AARDWOLF ©



HOW TO FIND EVERYTHING

- LIFTING EQUIPMENT
- WORKSHOP EQUIPMENT
- A-FRAMES
- FORKLIFT EQUIPMENT
- WORK BENCHES & STANDS
- SLAB RACKS & POSTS
- TROLLEYS
- JIB CRANES

Get The AArdwolf AAdvantage

TABLE OF CONTENTS

LIFTING EQUIPMENT

AARDWOLF SLAB LIFTERS 3

VACUUM LIFTERS

- Vacuum Lifters 4
- Electric Vacuum Lifters 4
- Vacuum Glass Lifters 7
- Vacuum Lifters Handy 7-8
- Vacuum Block Lifters 8
- Mechanical Vacuum Lifters 9
- Vacuum Paving Lifters 9
- Vacuum Lifter Parking Stations 10

SLAB LIFTERS 11-12

- Horizontal Stone Lifting Clamps
- Scissor Clamp Lifters
- Versa Block Clamps
- Monument Clamp/ Lifters
- Barrier Lifters
- Billet Lifter

DRUM LIFTER 13

BRICK LIFTERS 13

- Brick Grabs Lifter
- Hydraulic Brick Scissor Grab

ROCK LIFTERS 13

GLASS LIFTER 13

PIPE LIFTERS 14

- Concrete Pipe Lifters
- Round Bar Lifters
- Pipe Handling Attachment

PALLET CRANE FORK 15

SPREADER BEAMS 15

SLAB BUNDLE HANDLERS 15

STONE CARRYING HAND CLAMPS 16

- Stone Panel Carriers with Cable
- Carry Clamps for Sheet Material
- Stone & Curb Placement Clamp
- Stone Kerb Clamp

HAND VACUUM CUPS 17

- Hand Vacuum - Cup Lifters
- Oval Hand Vacuum-Cup Lifter
- Double Suction Cup
- Triple Suction Cup

CARGO LASHINGS & SLINGS 18

- Endless Webbing Slings
- Ratchet Tie Downs

JIB CRANES

19 - 20

- Portable Gantry Crane
- Articulated Jib Cranes
- Over Braced Jib Cranes
- 360° Rotation - Pillar Mounted Jib Crane
- Manual Counterbalance Crane
- Powered Counterbalance Crane
- Powered Counterbalance Crane with Lateral Movement

FORKLIFT EQUIPMENT

FORKLIFT ATTACHMENTS 21-22

- Forklift Booms
- Pivot Forklift Booms
- Double Forklift Boom
- Fork Extensions
- Fork Extensions Transporter

ATTACHMENTS & ACCESSORIES.....22-23

Twister
Collapsible Safety Cage
Bow Shackles
Swivel Hooks
Fork Hook Attachments

SLAB RACKS, BUNDLE RACKS & POSTS

24

Slab Rack
Bundle Racks
Workshop Rack
Finished Goods Rack
Remnant Rack
Steel Post Bases
Finished Goods Rack Post
Slab Rack Posts
Bundle Rack Posts
Slab Rack Storage Calculator Application

FRAMES

25-26

WOLF RACKS

TRANSPORT FRAMES

Transport Frames
Slab Buggies

FOLDING 'A' FRAMES

DEMOUNTABLE FRAMES

STORAGE FRAMES

Storage 'A' Frames

Harp Rack

TROLLEYS

Trolleys.....27
Hand Trucks.....28

WORKBENCHES & STANDS

WORKBENCHES.....29

Work Tables
Adjustable Height Work Tables
Fabrication Tables & Stands
Trestles - Flip Trolley
Kitchen Installation Cart

SCULPTURE TABLES.....30

EDGE POLISHING STANDS.....30

Polishing Stand
Vertical Polishing Frames

WORKSHOP EQUIPMENT

COUNTER TOP TOOLS.....31

Joint Setters
Ratchet Seam Setter
Anti-Breakage Bars
Lamination Rail Clamps
Sinklocs

DRILL STANDS & ACCESSORIES.....32-33

Pneumatic Anchor Machine
Portable Water Supply Tank
Electric Anchor Machine
Portable Air Drill Machine
Drill Stand With Vacuum Base
Drill Guide
Water Swivel
Corner Clamp
Miter & Corner Clamp
Vacuum Pump & Vacuum Reservoir

WASTE BINS.....34

SITE SAWS.....35

WORKSHOP TOOLS.....35

SLUDGE DEHYDRATOR FILTER.....36

AARDWOLF SLAB LIFTERS

Aardwolf presents a new range of Automatic Slab Lifters with a new innovative feature:

- Auto-lock and unlock, grip and release stone slabs automatically.
- The slab is easily engaged via the jaws of the lifter.
- The heavier the load the tighter the grip.
- Lift the packed slabs out of racks and shipping containers easier.
- Stone panels can be placed close to the wall.

SLAB LIFTER WIDE JAW

SLAB LIFTER AUTOMATIC

SLAB LIFTER

SLAB LIFTER TYPE B

		METRIC			IMPERIAL		
MODEL	PRODUCT NAME	GRIP RANGE (MM)	CAPACITY (KG)	NET WEIGHT (KG)	GRIP RANGE (INCH)	CAPACITY (LB)	NET WEIGHT (LB)
AL30AWJ	AARDWOLF SLAB LIFTERS AUTOMATIC	0 - 30	1200	24.4	0 - 1.2"	2646	54
AL30A		0 - 30		17.6	0 - 1.2"		38.8
AL50A		10 - 50		19	0.4" - 2"		42
AL60A		15 - 60		25	0.6" - 2.4"		55
AL75A		30 - 75			1.2" - 3"		
AL30	AARDWOLF SLAB LIFTERS	3 - 30		17.8	0.1" - 1.2"		39.2
AL50		10 - 50		19	0.4" - 2"		42
AL60		15 - 60		25	0.6" - 2.4"		55
AL75		30 - 75			1.2" - 3"		
AL50B	SLAB LIFTER TYPE B	10 - 50		24	0.4" - 2"		53

THE LIFTER TWISTER IS THE PERFECT ACCESSORY TO AARDWOLF NEW PATENT PENDING AUTOGRAB LIFTERS

Aardwolf has created a new innovative device, the Lifter Twister. The device works with the Aardwolf Slab and Glass Lifters, forklift, truck crane to lift and move stone and glass sheets. The Twister is equipped the remote control and allows the user to independently perform all of the lifting and moving operations safer, faster and more convenient without the assistance of a handler on the ground.

LIFTING EQUIPMENT VACUUM LIFTERS

AVLP1

AVLP2

AVLP4-P-1000

AVLB4

ARV-180

AVLM2

	METRIC				IMPERIAL		
PRODUCT CODE	NUMBER OF PAD	PAD SIZE (MM)	CAPACITY (KG)	NET WEIGHT (KG)	PAD SIZE (INCH)	CAPACITY (LB)	NET WEIGHT (LB)
AVLP1	1	508 X 308	125 - 250	48	20" X 12"	276 - 551	105.8
AVLP2	2		250 - 500	70		551 - 1102	154.3
AVLP3	3		300 - 600	87		661 - 1312	192
AVLP4-500L	4		250 - 500	112		551 - 1102	247
AVLP4-1000			500 - 1000	94		1102 - 2204	207.2
AVLP4-P-1000				104			229.3
AVLB4	4	150	160	28	6"	353	62
ARV-180	4	200		63	8"		139
AVLM2	2	508 X 308	500	48	20" X 12"	1102	105.8

LIFTING EQUIPMENT VACUUM LIFTERS ELECTRIC VACUUM LIFTERS

AERV-180

AEVL1-250

AEVGLP4-500

AEVGLP8-1000

AEVLP4-500

AVGLP6-500

ARGL-500

ARGL-500DS

AEVLP8-1000

AEVLP8-2000

AEPVGL-MR

LIFTING EQUIPMENT | FORK MOUNTED VACUUM LIFTING ATTACHMENT

The Fork Mounted Vacuum Lifting Attachment is designed to lift and lower sheet materials. The device combines with a vacuum lifter with a fork truck and remote control for handling diversified types of sheet, plate and large panels such as glass, stone, metal, concrete, plastics, timber and laminates.

- Working load limit: 760 - 1000 kg
  1676 - 2204 lb
- Pad sizes: 300 mm | 12"
  520 x 320 mm | 20.5" x 12.6"
- Net weight: 275 kg | 606 lb

MODEL	PRODUCT NAME	PAD	METRIC			IMPERIAL		
			PAD DIAMETER (MM)	W.L.L (KG)	N.W (KG)	PAD DIAMETER (INCH)	W.L.L (LB)	N.W (LB)
AERV-180	ELECTRIC ROTATION VACUUM LIFTER	4	200	160	60	8"	353	132
AEVL1-250	ELECTRIC VACUUM LIFTER	1	520 X 320	250	35	20.5" X 12.6"	551	77
AEVGLP4-500	ELECTRIC VACUUM GLASS LIFTERS	4	300	400 - 500	145	12"	882 - 1102	320
AEVGLP8-800		8		400 - 800	203		882 - 1763	448
AEVLP4-500	ELECTRIC VACUUM LIFTERS	4		500	192		1102	423
AEVLP8-1000		8		1000	-		2204	-
AEVLP8-2000			350	2000	355	14"	4408	783
AVGLP6-500	VACUUM GLASS LIFTER	6	300	500	173	12"	1102	381
ARGL-500	DC POWERED VACUUM GLASS LIFTERS	4		400 - 500	69		882 - 1102	152
ARGL-500DS		8			81			179
AEPVGL-MR	ELECTRIC POWERED VACUUM GLASS LIFTER		280	500	204	11"	1102	450
AVGLCB-400DS	VACUUM GLASS LIFTER		300	400	-	12"	882	-

LIFTING EQUIPMENT

VACUUM LIFTER WITH PETROL FUELLED ENGINE FROM AARDWOLF

APVL-1000

This vacuum lifter with a petrol-fuelled engine can handle heavy concrete elements of up to 1 tonne quickly and precisely. Providing for the easy and efficient handling and laying of natural stone, concrete and marble slabs, and steps, etc. Specially this lifter is used in combination with a mobile crane for working convenience and flexibility on construction sites.

- Working load limit: 1000 kg – 2204 lb
- Pad sizes: 800x500
- Motor: 0.98 bar

AVGLP2-AR

AVGLP4-MR-250

AVGLP4

AVGLP8



		METRIC			IMPERIAL		
PRODUCT CODE	NUMBER OF PAD	PAD SIZE (MM)	CAPACITY (KG)	N.W (KG)	PAD SIZE (INCH)	CAPACITY (LB)	N.W (LB)
AVGLP2-AR	2	OVERALL:300 SEAL TO SEAL:280	200	60	OVERALL:12" SEAL TO SEAL:11"	441	132
AVGLP4-MR-250	4	SEAL TO SEAL:280	250	81	SEAL TO SEAL:11"	551	179
AVGLP4-400			200 - 400	79		441 - 882	174
AVGLP4-400L		SEAL TO SEAL:300		-	SEAL TO SEAL:12"		-
AVGLP8-800	8		400 - 800	108		882 - 1764	238

AHVL500

AVLHP240/480

AVLHP240/480

PRODUCT CODE	METRIC			IMPERIAL		
	PAD SIZE (MM)	CAPACITY (KG)	N.W (KG)	PAD SIZE (INCH)	CAPACITY (LB)	N.W (LB)
AHVL500	520 X 125 520 X 160 520 X 220 520 X 320	120 180 280 500	21	20.5"X 5" 20.5"X 6.3" 20.5"X 8.7" 20.5"X 12.6"	265 397 617 1102	46
AVLHP240/480	520 X 320	240 - 480	23	20.5"X 12.6"	529 - 1058	51
	300	120 - 240	18	12"	265 - 529	40

LIFTING EQUIPMENT | VACUUM LIFTERS | VACUUM BLOCK LIFTERS

AVBL-SERIES

A powerful battery-operated vacuum lifting device for laying marble and granite slabs, concrete and similar.

- Robust and compact design.
- Suspended on all types of lifting equipment by load hooks, chains and cables.
- Equipped with battery-operated vacuum pumps.
- Automatic vacuum pumping system.
- Audio-visual safety alarm system.
- Available in different pad sizes.

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
AVBL380	520 X 320	380	20.5" X 15"	838
AVBL1000	500 X 800	1000	31.5" X 19.7"	2204

BATTERY INFORMATION FOR THE DEVICE

CHARGING CYCLE	1000 TIMES
CHARGING TIME	8 HOURS
NON-STOP WORKING TIME	5 HOURS
STANDBY TIME	720 HOURS
BATTERY CAPACITY	12 V - 24A

LIFTING EQUIPMENT | VACUUM LIFTERS | SMALL PNEUMATIC VACUUM LIFTER

SPVL100

The SPVL100 is a small compact design vacuum lifter, which allows operators to adapt to various applications. The low weight and versatility make heavy loads easy to handle in vertical and horizontal positions, so only one person is required to handle loads.

Because the load is supported by the lifting device and not by the user, this also reduces the physical stress and strain on your employees.

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
SPVL100	400 X 240	120	15.7" - 9.4"	265

LIFTING EQUIPMENT | VACUUM LIFTERS | VACUUM BAG LIFTER

VBL

The Aardwolf vacuum bag lifter is ideal for safely and quickly moving all types of sacks, bags, and carton boxes. The Vacuum Bag Lifter is equipped with an electric vacuum pump, a vacuum hose, a lift tube, a control unit, and a suction foot.

- Motor power: 5kw – 380V-3phase
- Vacuum pump MODEL: FPZ R30-D
- Capacity: Nonporous load: 70 to 100 kg and Porous load: 60 to 80 kg

MONO MECHANICAL LIFTERS

MONO MECHANICAL LIFTERS (IN LINE)

PRODUCT CODE	PRODUCT NAME	NUMBER OF PADS	PAD DIAMETER (MM)	W.L.L (KG)	NET WEIGHT (KG)	PAD DIAMETER (INCH)	W.L.L (LB)	NET WEIGHT (LB)
AMMVL150	MONO MECHANICAL VACUUM LIFTERS	1	200	150	12	8"	331	26
AMMVL270			300	270	22	12"	595	49
AMMVL650			450	650	36	17.7"	1433	79
AMMVL1000			530	1000	55	21"	2204	121
AMVL250-2	MECHANICAL VACUUM LIFTERS	2	300	250	46	12"	551	101
AMVL250-4		4	190		49	7.5"		108
AMVL250-4 (IN LINE)					47			104
AMVL250-8		8	120		63	4.7"		139
AMVL600-2		2	300	600	62	12"	1323	137
AMVL600-4		4	225		87	9"		192
AMVL600-4 (IN LINE)		4	300		81	12"		179
AMVL600-8		8	190		74	7.5"		163
AMVL600-10		10			351			774
AMVL1000-2		2	450	1000	245	17.7"	2204	529
AMVL1000-4		4	300		225	12"		496
AMVL1000-8		8			318			701
AMVL1000-10		10	190		340	7.5"		750

APSL

AVPL40

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
APSL	200 X 200	60	8" X 8"	132
	260 X 260	120	10" X 10"	264

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
AVPL40	120 X 220	40	4.7" X 8.7"	88
	80 X 120	12	3.1" X 4.7"	26
	150	40	6"	88

	METRIC		IMPERIAL	
MODEL	PACKAGING DIMENSION (MM)	N.W (KG)	PACKAGING DIMENSION (INCH)	N.W (LB)
PSAVLP1	840 X 400 X 200	13	33" X 15.7" X 7.9"	29
PSAVLP2	860 X 390 X 210	15	33.9" X 15.4" X 8.3"	33

PSAVLP SERIES

AARDWOLF VACUUM LIFTERS

AARDWOLF ©

Get The AArdwolf AAdvantage

AHLC-730

AHLC-2010-4T

	METRIC			IMPERIAL		
MODEL	GRIP RANGE (MM)	CAPACITY (KG)	N.W (KG)	GRIP RANGE (INCH)	CAPACITY (LB)	N.W (LB)
AHLC-730	280 – 730	1500	112	11" – 28"	3307	247
AHLC-1050	280 – 1050	1500	121	11" – 41"	3307	267
AHLC-1370	280 – 1370	1500	124	11" – 54"	3307	273
AHLC-2010	280 – 2010	1500	137	11" – 79"	3307	302
AHLC-2010-4T	300 – 2010	4000	228	12" – 79"	8818	503

SCISSOR CLAMP LIFTER

	METRIC		IMPERIAL	
MODEL	GRIP RANGE (MM)	W.L.L (KG)	GRIP RANGE (INCH)	W.L.L (LB)
ASL105	0 - 105	750	0 – 4"	1653
ASL125	0 - 125	750	0 – 5"	1653
ASL200	50 - 200	1000	2" – 8"	2204
ASL300	150 - 300	1500	6" – 12"	3307
ASL450	300 - 450	2000	12" – 18"	4408

VERSA BLOCK CLAMP

The Versa Block Clamps are made for lifting and moving concrete blocks, rubber tyres, drums or other materials. The clamp consists of two sliding pads that can be adjusted to the desired widths and they are locked by a locking latch on each side.

	METRIC			IMPERIAL		
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
AVBC-600	100 - 610	1200	50	4" – 24"	2646	110
AVBC-1100	150 - 1100	3000	161	6" - 43.3"	6614	355

LIFTING EQUIPMENT | SLAB LIFTERS | MONUMENT CLAMP/LIFTERS

GPM1000

GPM1000-A

GPM1500-A

	METRIC			IMPERIAL		
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
GPM1000	0 - 407	1000	33	0 - 16"	2204	73
GPM1000-A	20 - 300	1000	33	1" - 12"	2204	73
GPM1500-A	20 - 300	1500	52	1" - 12"	3307	115

LIFTING EQUIPMENT | SLAB LIFTERS | BARRIER LIFTERS

ABL-255/2000

The Aardwolf Barrier Lifters are the solution for lifting and moving heavy granite slabs, sandstone blocks and concrete barriers in a safe, easy and efficient manner. The material contact surface is protected by the clamp rubber covering. The clamps are gravity controlled, which opens when rested and closes when lifted.

	METRIC			IMPERIAL		
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ABL-255/2000	100 - 255	2000	84	4" - 10"	4408	185
ABL-255/3000	100 - 255	3000	146	4" - 10"	6614	322
ABL-360/5000	100 - 360	5000	426	4" - 14.2"	11023	939
ADBL-2000	155 - 250	2000	264	6.1" - 9.8"	4408	582

LIFTING EQUIPMENT | SLAB LIFTERS | BILLET LIFTER

BL59



The Aardwolf Slab Billet Clamp is used for handling marble and granite slabs from the billet saw.

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
BL59	5 - 60	200	16

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
BL59	0.2" - 2"	441	35

LIFTING EQUIPMENT — DRUM LIFTER

ADC-572

The Drum Clamp is especially designed for lifting and moving drums in vertical position.

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ADC-572	572	500	20

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ADC-572	22"	1102	44

LIFTING EQUIPMENT — BRICK LIFTERS

ABGL-1800

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ABGL-1800	800 - 1100	1800	590

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ABGL-1800	31" – 43"	3968	1301

LIFTING EQUIPMENT — ROCK LIFTERS

ARL-800 / ARL - 1200

ASG

MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ARL-800	350 - 800	750	119
ARL-1200	600 - 1200	1500	354
ASG	350 - 1200	2000	165

MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ARL-800	14" - 31"	1653	262
ARL-1200	24" - 47"	3307	780
ASG	14" - 47"	4408	364

LIFTING EQUIPMENT — GLASS LIFTER

MODEL	GRIP RANGE	W.L.L	NET WEIGHT
AL30AWJH	0 - 30 MM	1200 KG	25.2 KG
AGL22	2 - 22 MM	750 KG	23.6 KG
AGL32	2 - 22 MM	750 KG	28 KG

MODEL	GRIP RANGE (INCH)	W.L.L (LB)	NET WEIGHT (LB)
AL30AWJH	0 - 1.2"	2646	55.5
AGL22	0.1" - 1.25"	1654	52
AGL32	0.1" - 1.25"	1654	61.7

AL30AWJH

LIFTING EQUIPMENT PIPE LIFTERS

Fast, efficient, flexible, smart and fully automatic, the Aardwolf mechanical lifters are designed to safely lift concrete pipes. The lifter does not require additional hydraulics. The operator is able to use the pipe lifter to grab, lift and move pipes without assistance.

CONCRETE PIPE LIFTER

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ACPL750	400 - 500	750	150
ACPL1500	500 - 750	1500	226
ACPL2500	750 - 1000	2500	564

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ACPL750	15" - 20"	1653	331
ACPL1500	20" - 29"	3307	498
ACPL2500	29" - 39"	5511	1243

LIFTING EQUIPMENT ROUND LIFTERS

RBL200

RBL305

METRIC		
MODEL	GRIP RANGE (MM)	W.L.L (KG)
RBL200	180 - 200	150
RBL305	200 - 305	320

IMPERIAL		
MODEL	GRIP RANGE (INCH)	W.L.L (LB)
RBL200	7" - 8"	331
RBL305	8" - 12"	706

LIFTING EQUIPMENT PIPE HANDLING ATTACHMENT

Faster, smarter, more efficient, flexible and fully automatic features enable the Pipe Handling Attachment to safely lift concrete pipes. No hydraulic power supply, slings, chains or manual assistants are needed during the lifting process.

PHA4000

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	PIPE LENGTH (MM)
PHA4000	300 - 1200	4000	2500

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	PIPE LENGTH (INCH)
PHA4000	12" - 47"	8818	98.4"

LIFTING EQUIPMENT | PALLET CRANE FORK

Aardwolf Pallet Crane Fork offers a flexible lifting solutions for loading, unloading, handling and transporting heavy materia within production environments. Aardwolf Pallet Crane Fork is a crane attachments engineered to optimize efficiency for overhead lifting for material handling systems.

APCF

METRIC		
MODEL	W.L.L (KG)	N.W (KG)
APCF	2500	242

IMPERIAL		
MODEL	W.L.L (LB)	N.W (LB)
APCF	5511	534

LIFTING EQUIPMENT | LOAD HANDLING ATTACHMENTS | SPREADER BEAMS

Providing lifting solution the large stone slabs to increase safety and efficiency.

- Highly safe and efficient lift large stone slabs.
- Keeps large materials balanced for safer transport.

SPREADER BEAM





METRIC		
MODEL	W.L.L (KG)	N.W (KG)
ASB-2.5T	2500	46
ASB-3.5T	3500	73
ASB-5T	5000	105

IMPERIAL		
MODEL	W.L.L (LB)	N.W (LB)
ASB-2.5T	5511	101
ASB-3.5T	7716	161
ASB-5T	11023	231

LIFTING EQUIPMENT | SLAB BUNDLE HANDLERS

SLAB BUNDLE HANDLERS

METRIC		
MODEL	W.L.L (KG)	NET WEIGHT (KG)
GBH01	2500	2030
SBH01	3000	2000
SBH02	5000	3200

IMPERIAL		
MODEL	W.L.L (LB)	NET WEIGHT (LB)
GBH01	5511	4475
SBH01	6614	4408
SBH02	11023	7055

LIFTING EQUIPMENT — STONE CARRYING HAND CLAMPS

SCC02

SCC03

SCC05

ASKC200



SCC04

		METRIC			IMPERIAL		
MODEL	PRODUCT NAME	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
SCC02	STONE PANEL CARRIERS	0 - 52	150/PAIR	2	0 - 2"	331/PAIR	4
SCC03	CARRY CLAMPS FOR SHEET MATERIAL	0 - 50	200/PAIR	6.6	0 - 2"	441/PAIR	14.6
SCC04	STONE & CURB PLACEMENT CLAMP	100 - 500	200	16.9	4" - 20"	441	37.3
SCC05	CARRY CLAMP FOR SHEET MATERIAL	50 - 100	200/PAIR	8.3	2" - 4"	441/PAIR	18
ASKC200	STONE KERB CLAMP	0 - 260	200	23	0 - 10"	441	51

HVC

HVC01



OHVC

HVC05

HVC06



HVCC

		METRIC			IMPERIAL		
MODEL	NAME	CUP DIAMETER (MM)	W.L.L (KG)	N.W (KG)	CUP DIAMETER (INCH)	W.L.L (LB)	N.W (LB)
HVC	HAND VACUUM CUP LIFTER	220	120	1.46	8.7"	265	3.2
HVC01	HAND VACUUM CUP LIFTER		100	1.3	8.7"	220	2.9
OHVC	OVAL HAND VACUUM CUP LIFTER	380 X 80			15" - 3.1"		
HVC05	DOUBLE SUCTION CUP	122	50 - 100	0.8	4.8"	110 - 220	1.8
HVC06	TRIPLE SUCTION CUP		75 - 150	1		165 - 331	2.2
HVCC	HAND VACUUM CUP CARRIER	220	75 - 150	1	8.7"	165 - 331	2.2

LIFTING EQUIPMENT | CARGO LASHINGS & SLINGS

ENDLESS WEBBING SLINGS

RATCHET TIE DOWN

	METRIC			IMPERIAL		
MODEL	WEBBING WIDTH (MM)	EFFECTIVE LENGTH (MM)	W.L.L (KG)	WEBBING WIDTH (INCH)	EFFECTIVE LENGTH (INCH)	W.L.L (LB)
CLS1T	50	3000	1000	2"	118"	2204
CLS2T	60		2000	2.4"		4408
CLS3T	90		3000	3.5"		6614
RTD2A	50	9150	5000	2"	360"	11023
RTD1B	25	3000	225	1"	118"	500

HAND VACUUM CUP LIFTERS

WOKING LOAD LIMIT
120 KGS - 260 LBS

JIB CRANES

CMA01

AJCOCM



AGC-1000

AMCC

APCC

APCCL

TRANSPORT FRAMES



JIB CRANES

		METRIC		IMPERIAL	
MODEL	PRODUCT NAME	MAXIMUM SPANS (MM)	W.L.L (KG)	MAXIMUM SPANS (INCH)	W.L.L (LB)
CMA01	ARTICULATED JIB CRANE - COLUMN MOUNTED	7000	500	275.6"	1102
AJCOCM	OVER BRACED JIB CRANE - COLUMN MOUNTED		1000		2204
AGC-1000	PORTABLE GANTRY CRANE FROM AARDWOLF	3100		122"	
AJCAWM	ARTICULATED JIB CRANE - WALL MOUNTED	5000	500	197"	1102
AJCOWM	OVER BRACED JIB CRANE - WALL MOUNTED	6000		236.2"	
AJCPIL	360° ROTATION - PILLAR MOUNTED JIB CRANE		2000		4408
MODEL	PRODUCT NAME	EXTENDED (MM)	W.L.L (KG)	EXTENDED (INCH)	W.L.L (LB)
AMCC	MANUAL COUNTERBALANCE CRANE	LENGTH: 1700 HEIGHT: 2760	540	LENGTH: 66.9" HEIGHT: 108.6"	1190
APCC	POWERED COUNTERBALANCE CRANE				
APCCL	POWERED COUNTERBALANCE CRANE WITH LATERAL MOVEMENT				

HIGH-GRADE AUSTRALIAN RECTANGULAR TUBE STEEL

ADJUSTABLE LENGTH

	METRIC			IMPERIAL		
MODEL	MANUAL TELESCOPE (MM)	INCREMENT (MM)	WORKING LOAD LIMIT (KG)	MANUAL TELESCOPE (INCH)	INCREMENT (INCH)	WORKING LOAD LIMIT (LB)
FB1-2720	1610 - 2724	557	RETRACTED:1500/ EXTENDED: 500	63.4" - 107"	21.9"	RETRACTED:3307/ EXTENDED:1102
FB2-3580	2107 - 3580	491	RETRACTED:1500/ EXTENDED: 600	83" - 141"	19.3"	RETRACTED:3307/ EXTENDED: 1323
FB3-5380	2196 - 5380	796	RETRACTED: 2400/ EXTENDED: 300	86.5" - 212"	31.3"	RETRACTED: 5291/ EXTENDED: 661
FB4-4800	2800 - 4800	1000	RETRACTED: 3000/ EXTENDED:1000	110" -189"	39.4"	RETRACTED: 6614/ EXTENDED:2204
FB2LP-3600	2121 - 3603	494	RETRACTED: 2400/ EXTENDED: 600	84.5" - 141.9"	19.4"	RETRACTED: 5291/ EXTENDED: 1323
FB3LP-5420	2210 - 5410	800	RETRACTED: 2400/ EXTENDED: 300	87" - 213"	31.5"	RETRACTED: 5291/ EXTENDED: 661
PFB1-2600	1500 - 2600	560	RETRACTED: 1500/ EXTENDED: 500	59" - 102.4"	22"	RETRACTED: 3307/ EXTENDED: 1102
PFB2-3450	1930 - 3412	494	RETRACTED: 1500/ EXTENDED: 600	76" - 134.3"	19.4"	RETRACTED: 3307/ EXTENDED: 1323

FORKLIFT EQUIPMENT FORKLIFT BOOMS DOUBLE FORKLIFT

The Aardwolf Double Forklift Boom (DFB2-5000) is a telescoping two section rectangular tube steel boom designed for removing bundles of marble and granite slabs from closed top containers. Thanks to its design, without any impediments between the fork booms, the operator can insert the full length of the booms into the container and bring the load right back to the fork mask, allowing for greater load Capacity and more stability.

DFB2-5000



THE DFB2-5000 IS MADE FOR 8 TON FORKLIFT TRUCKS AND LARGER

MODEL	CONNECTION BAR (MM)	INCREMENT (MM)	WORKING LOAD LIMIT (KG)	CONNECTION BAR (INCH)	INCREMENT (INCH)	WORKING LOAD LIMIT (LB)
DFB2-5000	300 - 1300	600	5000	11.8" - 51.2"	23.6"	11023

FORKLIFT EQUIPMENT — FORK EXTENSIONS

FORK EXTENSIONS

		METRIC			IMPERIAL		
MODEL	PRODUCT NAME	WORKING LENGTH (MM)	W.L.L (KG)	NET WEIGHT (KG)	WORKING LENGTH (INCH)	W.L.L (LB)	NET WEIGHT (LB)
FES-1500	STANDARD (PAIR)	1500	1500	46	59"	3307	101
FES-2000		2000		62	78.7"		137
FES-2500		2500		86	98.4"		190
AFE-1500	HEAVY DUTY (PAIR)	1500	2500	74	59"	5511	163
AFE-2000		2000		91	78.7"		201
AFE-2500		2500		122	98.4"		269
FET-01				10.5			23

FORKLIFT EQUIPMENT — FORK ATTACHMENTS & ACCESSORIES

MSS

FHADF2

FHASF1

SWIVEL HOOK

BOW SHACKLE

ACSC

SS15T

SSC15T

SLAB EDGE PROTECTOR 30 ASEP-30

The Aardwolf Slab Edge Protector 30, protects slab edges from chipping and breaking.

		METRIC		IMPERIAL	
MODEL	PRODUCT NAME	W.L.L (KG)	NET WEIGHT (KG)	W.L.L (LB)	NET WEIGHT (LB)
MSS	TWISTER - MOTORISED SWIVEL	1200	31	2646	68
FHADF2	FORK HOOK ATTACHMENT - DOUBLE FORK	3000	13	6614	29
FHASF1	FORK HOOK ATTACHMENT - SINGLE FORK	1500	7.5	3307	16.5
SH15T/SH30T/SH70T	SWIVEL HOOKS (ALLOY STEEL)	1500/3000/7000	0.62/1.4/4	3307/6614/15432	1.36/3.1/9
BS13T/BS30T	BOW SHACKLES	1500/3250	0.2	3307/7165	0.44
ACSC	COLLAPSIBLE SAFETY CAGE	250	155	551	342
SS15T	FORGED ALUMINIUM SWIVEL	1500	0.5	3307	1
SSC15T	COMBO SWIVEL-CHAIN-LIFTING LUG		1.5		3.3

SLAB RACKS & BUNDLE RACKS

ASR01

ABR10

ABR01

AWR01P

AFGR

ARR01

REMNANT RACK
Rail length:
3000mm | 118"
W.L.L: 1000 kg | 2204 lb

MODEL	PRODUCT NAME	RAIL LENGTH (MM)	POST (MM)	NET WEIGHT OF BASE (KG)	RAIL LENGTH (INCH)	POST (INCH)	NET WEIGHT OF BASE (LB)
AFGR	FINISHED GOODS RACK	2400	50 X 50	24/PCS	94.5"	2" X 2"	53/PCS
AWR01P	WORKSHOP RACK			78/PCS			172/PCS
ASR01	SLAB RACK	3000			118"		
ABR01	BUNDLE RACK		100 X 50			3.9" X 2"	
ARB10	BUNDLE RACK			77.7/PCS			171/PCS

MODEL	PRODUCT NAME	POST SIZE (MM)	POST SIZE (INCH)
FGR06	FINISHED GOODS POST RACK	50 X 50 X 700	2" X 2" X 27.6"
ASR06	SLAB RACK POSTS	50 X 50 X 800	2" X 2" X 31.5"
ASR07		50 X 50 X 1200	2" X 2" X 47.2"
ASR08		50 X 50 X 1400	2" X 2" X 55.1"
ASR09		50 X 50 X 1600	2" X 2" X 63"
ASR10		50 X 50 X 1800	2" X 2" X 70.8"
ABR06	BUNDLE RACK POSTS	100 X 50 X 1200	4" X 2" X 47.2"
ABR07		100 X 50 X 1400	4" X 2" X 55.1"
ABR08		100 X 50 X 1600	4" X 2" X 63"

FRAMES

FOLDING 'A' FRAMES

WOLF RACKS



DEMOUNTABLE FRAMES

STORAGE 'A' FRAMES

SINGLE SIDED TRUCK RACKS



DRY WALL TROLLEYS

TRANSPORT FRAME-AF1850QP

TRANSPORT FRAME-AF2440QP

HARP RACK

TRANSPORT FRAME-TF2440

TRANSPORT FRAME-TF3050

SLAB BUGGY - SBSS

		METRIC			IMPERIAL		
PRODUCT CODE	CATEGORY	WIDTH OF EACH SIDE (MM)	W.L.L (KG)	NET WEIGHT (KG)	WIDTH OF EACH SIDE (INCH)	W.L.L (LB)	NET WEIGHT (LB)
FAF1600	FOLDING 'A' FRAMES	386	6000	171	15.2"	13228	377
FAF-1800		352		251	13.9"		552
FAF-2100		465	7500	287	18.3"	16534	632
WR750-1200	WOLF RACKS	267	1000	37	10.5"	2204	81.6
WR1270/1200		230	1000	48	9"	2204	106
WR1270/1600				65			143
WR1270/2000			1200	75		2645	165
WRP1270/1200			1000	51		2204	112
WRP1270/1600				70			154
WRP1270/2000			1200	83		2645	183
DFH200	DEMOUNTABLE FRAMES	304	750	92	12"	1653	202
DFF200		300	1000	102	11.8"	2204	225
DFF400				162			357
DFF1500PC		361		124	14.2"		272
DAF2350PC		212	1500	178	8.3"	3307	392
BDFF200		-	1000	49	-	2204	108
BDFF400		-		68	-		150
BDFH200		320	750	43	12.6"	1653	95
TFDFF24		300	1000	63	11.8"	2204	139
TFDFH2		304	750	45	12"	1653	98.8
TFDFF1500		-	1000	75	-	2204	165
SAF01	STORAGE 'A' FRAMES	-	15000	120	-	33069	264
SAF02-S		-	12000	48	-	26455	106
SAF02-HD		-	15000	97	-	33069	214
PLUS SAF03		-			-		
SSTR-2000	SINGLE SIDED TRUCK RACKS	388	2500	137	15.3"	5511	302
SSTR-2440				161			355
DWT-1180P	DRY WALL TROLLEYS	300	1000	36	11.8"	2204	79.3
DWT-1180		307		31	12"		68.3
TF2000	TRANSPORT FRAMES	268	2500	182	10.6"	5511	401
TF2440				206			454
TF3050				239			527
TF3050H		207		260	8"		573
AF1850QP		295	1100 - 4000	246	11.6"	2425 - 8818	542
AF2440QP		323	2000 - 4000	281	12.7"	4409 - 8818	619
SBSS		204.5	600	44.8	8"	1323	98.8
SBDS			750	61.7		1653	136
SBSS-E			400	40.7		882	89.7
AHR	HARP RACK	-	1000	-	-	2204	-
ARB	ROLLER BLOCK	-	500	6.2	-	1102	13.6

AST01

ALM01

AQT01

ABT01

SELF LOCKING TROLLEY

		METRIC					IMPERIAL				
MODEL	PRODUCT NAME	GRIP RANGE (MM)	W.L.L (KG)	RUBBER WHEEL (MM)	SUPPORT PLATE (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	W.L.L (LB)	RUBBER WHEEL (INCH)	SUPPORT PLATE (INCH)	NET WEIGH (LB)
AST01	SLAB TROLLEY		300	205	402 x 80 x 41	8		661	8"	15.8" X 3" X 1.6"	18
ALM01	LOAD MASTER		400	350	858 x 80 x 41	15		882	13.8"	33.8" x 3.1" x 1.6"	33
AQT01	QUAD TROLLEY		300	265	550 x 80 x 41	17		661	10.4"	21.7"X 3"X 1.6"	37
ABT01	BROAD TROLLEY		450	350	854 x 212 x 50	28		992	13.8"	33.6"X 8.3"X 2"	61.7
SL60	SELF LOCKING TROLLEY	0 - 60	400	265	500	14	0 - 2"	882	10.4"	19.7"	31
SL85		0 - 85		400		26	0 - 3"		15.7"		57
SL100		0 - 100				28	0 - 4"				62
SL155		0 - 155				30	0 - 6"				66

FOLDING 'A' FRAMES - Sturdy and safe structure

TROLLEYS HAND TRUCKS

AHT750

AHT500

AHT750H

AHPT750

AHPT1000

AHPT1000A

AHTC750

AHTC1500

AFT01

		METRIC					IMPERIAL				
MODEL	PRODUCT NAME	HEIGHT (MM)	TRACK WIDTH (MM)	BLADE DIMENSION (MM)	RUBBER WHEEL (MM)	W.L.L (KG)	HEIGHT (INCH)	TRACK WIDTH (INCH)	BLADE DIMENSION (INCH)	RUBBER WHEEL (INCH)	W.L.L (LB)
AHT500	HAND TRUCKS	338	580	580 X 210	265	500	13.3"	22.8"	22.8" X 8.3"	10.4"	1102
AHT750		1260	580	420 X 80	250	750	49.6"	22.8"	16.5" X 3.1"	9.8"	1653
AHT750H		1360	620	420 X 60	400		53.5"	24.4"	16.5" X 2.4"	15.7"	
AHPT750		1308	630	360 X 100	350		51.5"	24.8"	14.2" X 3.9"	13.8"	
AHPT1000		1585	700	420 X 90	400	1000	62.4"	27.6"	16.5" X 3.5"	15.7"	2204
AHPT1000A											
AHTC750	TRANSPORT TRUCKS	1400	580	355 X 130	265	750	55.1"	22.8"	14" X 5"	10.4"	1653
AHTC1500		1734	685	470 X 120	400	1250	68.3"	27"	18.5" X 4.7"	15.7"	2756
AFT01	FRONT TROLLEY	1520	600	-	260		59.8"	23.6"	-	10.2"	

WORK TABLE

FABRICATION TABLE

TRESTLE

FLIP TROLLEY

		METRIC			IMPERIAL		
MODEL	PRODUCT NAME	SIZE OF TABLE (MM)	WIDTH WITH THE TOP (MM)	W.L.L (KG)	SIZE OF TABLE (INCH)	WIDTH WITH THE TOP (INCH)	W.L.L (LB)
WT600	WORK TABLES	1906 X 600	679	500	75"X 23.6"	26.7"	1102
WT910		1906 X 915	950		75"X 36"	37.4"	
AHWT600	ADJUSTABLE HEIGHT WORK TABLES	1906 X 600	HEIGHT		75"X 23.6"	HEIGHT	
AHWT910		1906 X 915	950		75"X 36"	37.4"	
PFT01	PREMIUM FABRICATION TABLE	-	-	450	-	-	992
FT01	FABRICATION TABLE	2130 X 725	-	300	83.9" X 28"	-	661
AEFT	ECONOMY FABRICATION TABLE	1840 X 610	-	200	72.4" X 24"	-	440
FS01	FABRICATION STAND	-	915 - 1118	650	-	36" - 44"	1433
MODEL	PRODUCT NAME	ADJUSTABLE WIDTH (MM)	HEIGHT (MM)	W.L.L (KG)	ADJUSTABLE WIDTH (INCH)	HEIGHT (INCH)	W.L.L (LB)
AT765N	TRESTLES	100	765	1000	3.9"	30.1"	2204
AT855N			855			33.6"	
AT765W			765			30.1"	
AT855W			855			33.6"	
FT02	FLIP TROLLEY			500			1102

WORKBENCHES & STANDS — SCULPTURE TABLES

ST750

ST1000

	METRIC	IMPERIAL
MODEL	W.L.L (KG)	W.L.L (LB)
SCULPTURE TABLES		
ST750	750	1653
ST1000	1000	2204
HYDRAULIC SCULPTURE TABLES		
STH4L	750	1653
STH5L		

WORKBENCHES & STANDS — EDGE POLISHING STANDS

PSALG01

VERTICAL POLISHING FRAME

MODEL	PRODUCT NAME	GRIP RANGE (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	NET WEIGHT (LB)
PSALG01	POLISHING STAND AUTO LOCK	0 - 60	33	0 - 2"	72.8
VPF700	VERTICAL POLISHING FRAMES	0 - 55	18.25	0 - 2"	40.2
VPF1300			37.8		83
VPF1800			27.7		61
VPF2400			30		66
FV80	FLOOR VICE	0 - 80	7	0 - 3"	15
FVASL60	FLOOR VICE AUTO	0 - 60		0 - 2"	

WORKBENCHES & STANDS — KITCHEN INSTALLATION CART

AKIC

The Aardwolf Kitchen Installation Cart provides a safer means of stone transportation and installation. The frame features a series of transfer bearings allowing the countertop to roll into place without friction, and without strain, while increasing productivity and efficiency.

HEIGHT OF THE FRAME FROM THE GROUND TO SUPPORT RAIL	350 - 1035 MM	13.8"- 40.7"
WORKING LOAD LIMIT	500 KG	1102 LB
NET WEIGHT	147 KG	324 LB

JOINT SETTERS



CTTRSS1

LAMINATION RAILS

SINKLOCS



ANTI-BREAKAGE BAR

MODEL	PRODUCT NAME	NET WEIGHT (KG)	VACUUM BASE SIZE (MM)	NET WEIGHT (LB)	VACUUM BASE SIZE (INCH)
* BOSS	BATTERY JOINT SETTER	15	230 X 190	33	9" X 7.5"
** EOSS	ELECTRIC JOINT SETTER	16		35	
CTTRSS1	RATCHET SEAM SETTER	6	-	13	-

MODEL	PRODUCT NAME	GRIP RANGE (MM)	LENGTH (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	LENGTH (INCH)	NET WEIGHT (LB)
CTTABB4	ANTI-BREAKAGE BAR 4'	17 - 45	1220	8.4	0.7" - 2"	48	19
CTTABB6	ANTI-BREAKAGE BAR 6'		1830	12		72	26
CTTABB8	ANTI-BREAKAGE BAR 8'		2440	14		96	31
CTTBC5	LAMINATION RAIL CLAMP 5'	26 - 63	127	0.7	1" - 2"	5	1.5
CTTBC10	LAMINATION RAIL CLAMP 10'		245	1		9.6	2
CTTBC2	LAMINATION RAIL CLAMP 2'		610	3		24	7
CTTBC3	LAMINATION RAIL CLAMP 3'		915	4		36	9
CTTBC4	LAMINATION RAIL CLAMP 4'		1220	5		48	11
CTTBC6	LAMINATION RAIL CLAMP 6'		1830	6		72	13
CTTS24	SINKLOC 24	0 - 450	-	2	0 - 17"	-	4
CTTS42	SINKLOC 42		-	3.5		-	8

* Battery: AVPP ** Battery: electric powered vacuum pump (Max. vacuum: -630 mm Hg / Max. flow: 23 l/min / Powered by 220V/50Hz...)

APAM

EAM

APADM

DSA07

DG01

PWST

WS01

WS02

WS03

WS04

			METRIC		IMPERIAL	
MODEL	PRODUCT NAME	NO LOAD SPEED (RPM)	DRILLING BORE SIZE (MM)	NET WEIGHT (KG)	DRILLING BORE SIZE (INCH)	NET WEIGHT (LB)
APAM	PNEUMATIC ANCHOR MACHINE	25000	6	3	0.2"	7
EAM	ELECTRIC ANCHOR MACHINE	30000	6	4	0.2"	9
APADM	PORTABLE AIR DRILL MACHINE	1200	50	10	2"	22
DSA07	DRILL STAND WITH VACUUM BASE		60	6	2.4"	13
DG01	DRILL GUIDE		43 (DRILL COLLAR)	3	1.7" (DRILL COLLAR)	7
PWST	PORTABLE WATER SUPPLY TANK	WORKING PRESSURE: 0.15 - 0.6 MPA			TANK CAPACITY: 16 LITERS	
WS	WATER SWIVEL	OPTIONAL ADAPTER: M.1/2 - M.5/8 NPT - M.M14 - Φ10				

MC250

ACC250

ABMC MITER

ABMC CORNER

MODEL	PRODUCT NAME	GRIP RANGE (MM)	CUP DIAMETER (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	CUP DIAMETER (INCH)	NET WEIGHT (LB)
MC250	AARDWOLF MITER CLAMP	50 - 250	118	4	2" - 10"	4.6"	9
ACC250	AARDWOLF CORNER CLAMP			7			15
ABMC	MITER CLAMPS - VACUUM ASSISTED	-	-	12	-	-	26.4

AVPP

The battery-operated Aardwolf's vacuum pump & vacuum reservoir is machined from high-grade aluminum and includes pressure switch and vacuum gauge together with dual-port configuration.

- Vacuum reservoir. 770 cm^3 ($47''^3$).
- Max Flow Rate: 13 liters/minute (0.46 cfm).
- Max Vacuum: -80 kpa.
- Dual-port configuration.
- Integrated non-return valve.
- Vacuum level indicator with LED indicator.
- Water-resistant to withstand direct rain.
- Voltage: 12V.V - Weight: 1.88 kgs (4.15 lbs).



Vacuum Pump & Vacuum Reservoir AVPP02

(Vacuum reservoir. 1965 cm^3 / Max Flow Rate: 12 liters/minute / Max Vacuum: -80 kpa / Voltage: 12V)

DROP BOTTOM BIN

POWDER COATED

GALVANISED

		METRIC		IMPERIAL	
MODEL	PRODUCT NAME	W.L.L (KG)	NET WEIGHT (KG)	W.L.L (LB)	NET WEIGHT (LB)
WB620PC	WASTE BIN (POWDER COATED)	1000	170	2204	375
WB1000PC		1500	221	3307	487
WB1000G	WASTE BIN (GALVANISED)				
ADBB-2000	DROP BOTTOM BIN		366		807

SSM1200

SSM2000

		METRIC		IMPERIAL	
MODEL	POWER SUPPLY	TOTAL LENGTH (MM)	NET WEIGHT (KG)	TOTAL LENGTH (INCH)	NET WEIGHT (LB)
SSM1200	220V-1PHASE 50-60HZ	1370	152	54"	335
SSM2000		1540	210	60.6"	463

CNCTR15

CNCTC30

CNCTC42

			METRIC	IMPERIAL
MODEL	PRODUCT NAME	TOOL HOLDER	PACKAGING DIMENSION (MM)	PACKAGING DIMENSION (INCH)
CNCTR15	CNC TOOLING RACK	15	730 X 440 X 210	28.7" X 17.3" X 8.3"
CNCTC30		30	860 X 520 X 250	34" X 20.5" X 9.8"
CNCTC42		42	1230 X 540 X 300	48.4" X 21.3" X 12"

AARDWOLF ©

Get The AArdwolf AAdvantage

WORKSHOP EQUIPMENT SLUDGE DEHYDRATOR FILTER

The AARDWOLF Sludge Dehydrator Filter is a dehydration system for the fast collection and trapping of the abrasive mud produced by machining and finishing marble, granite, and other stone. The AARDWOLF Sludge Dehydrator Filter is an economical, one step method in separating and dewatering sludges and slurries. The AARDWOLF Sludge Dehydrator Filter is constructed of Stainless Steel and consists of four basic components: pump, mud holding tank, clean water tray, and filter bags. The AARDWOLF Sludge Dehydrator Filter has no moving parts and requires minimal maintenance.

SPECIFICATIONS

- Dimensions – 89.4" x 86.6" x 23.6" (227cm x 222cm x 60cm)
- Weight – 617 lbs (280kg)
- Power requirements (USA) – 230v 60Hz
- Weekly Output Capacity of Dry Mud – 22 ft³
- Mud Holding Tank Capacity – 145 Gallons (550 liters)
- Sump pump - 6E-CIA-SFS 189 lpm / or equal
- Float Switch – Mechanical
- Valves – 2 inch BSP Brass Nickel Plated

PACKAGE INCLUDES

- 4 plastic curtains
- 2 stainless steel curtain rods
- 1 industrial water hose
- 3 industrial hose clamps
- 15 polypropylene filtration bags
- 1 pit cleaning tool/ air stick



AARDWOLF COMBO BOOM, SWIVEL & LIFTING CLAMP

COMBO 1



863 mm
34 Inches

Forklift Boom
FB1-2720

Swivel Chain
SSC15T

Slab Lifter
AL75A

COMBO 2



625 mm
24.6 Inches

Forklift Boom
FB2-3580

Swivel Hook
SH15T

Slab Lifter
AL60A

COMBO 3



526 mm
20.7 Inches

Forklift Boom
FB2-3600

Forged Swivel
SS15T

Slab Lifter
AL50A

AARDWOLF COMBO BOOM, SWIVEL & LIFTING CLAMP





NO ONE LIFTS LIKE WE DO

LIFTEROFTHECHAMPIONS

PRODUCT VIDEOS

AARDWOLF SALES & SERVICE

AUSTRALIA
1/5 Stanton Road, Seven Hills NSW 2147
Tel: 02 9838 8427
www.aardwolfaustralia.com **Email:** enquiries@aardwolfaustralia.com

BULGARIA
Str.Usta Kolio Ficheto 33
Tel: +359 887 933 754 **Email:** adrian@toolrange.com

INDIA
Harmara Road, Industrial Area, Madanganj, Kishangarh, District- Ajmer, Rajasthan India 305801 **Tel:** +91 73000 68444
Web: www.aardwolf.co.in **Email:** sales@aardwolf.co.in

GERMANY
Schulze-Delitzsch-Weg 2, 33175 Bad Lippspringe
Tel: 05252 8382830 **Email:** sales@toolrange.com.de

USA
9401 Norwalk Blvd, Santa Fe Springs, CA 90670
Tel: (562) 553-6050
Web: www.aardwolfusa.com **Email:** sales@aardwolfusa.com

VIETNAM
1B, An Phu, Thuan An City, Binh Duong Province, Vietnam
Tel: +84 931 707 793
Web: www.aardwolf.com.au **Email:** info@aardwolf.com.au