



GENERAL CATALOGUE

FOR STONE, GLASS & STEEL INDUSTRIES

2021

Get The Aardwolf AAdvantage



124

50

32

28

27

18

17

9

HOW TO FIND EVERYTHING

LIFTING EQUIPMENT

WORKSHOP EQUIPMENT

A-FRAMES

FORKLIFT EQUIPMENT

WORKBENCHES & STANDS

SLAB RACKS & POSTS

TROLLEYS

JIB CRANES

CONTACT US



aardwolfusa.com



leo@aardwolfusa.com



(562) 553-6050

TABLE OF CONTENTS

LIFTING EQUIPMENT

AARDWOLF SLAB LIFTERS	3
VACUUM LIFTERS	
Vacuum Lifters.....	4
Electric Vacuum Lifters.....	4
Vacuum Glass Lifters.....	7
Vacuum Lifters Handy.....	7-8
Vacuum Block Lifters.....	8
Mechanical Vacuum Lifters	9
Vacuum Paving Lifters	9
Vacuum Lifter Parking Stations.....	10
SLAB LIFTERS	11-12
Horizontal Stone Lifting Clamps	
Scissor Clamp Lifters	
Versa Block Clamps	
Monument Clamp/ Lifters	
Barrier Lifters	
Billet Lifter	
DRUM LIFTER.....	13
BRICK LIFTERS.....	13
Brick Grabs Lifters	
Hydraulic Brick Scissor Grab	
ROCK LIFTER	13
GLASS LIFTERS.....	13
PIPE LIFTERS.....	14
Concrete Pipe Lifters	
Lifting Clamps for Round Bar	
Pipe Handling Attachment	
PALLET CRANE FORK.....	15
SPREADER BEAMS.....	15
SLAB BUNDLE HANDLERS.....	15

STONE CARRYING HAND CLAMPS.....	16
Stone Panel Carriers with Cable	
Carry Clamp for Sheet Material	
Stone & Curb Placement Clamp	
Stone Kerb Clamp	
HAND VACUUM CUPS	17
Hand Vacuum - Cup Lifters	
Oval Hand Vacuum-Cup Lifter	
Double Suction Cup	
Triple Suction Cup	
CARGO LASHINGS & SLINGS.....	18
Endless Webbing Sling	
Ratchet Tie Downs	

JIB CRANE

19 - 20

Portable Gantry Crane	
Articulated Jib Cranes	
Over Braced Jib Crane	
360° Rotation - Pillar Mounted Jib Crane	
Manual Counterbalance Crane	
Powered Counterbalance Crane	
Powered Counterbalance Crane with Lateral Movement	

FORKLIFT EQUIPMENT

FORKLIFT ATTACHMENTS.....	21-22
Forklift Booms	
Pivot Forklift Booms	
Double Forklift Boom	
Fork Extensions	
Fork Extensions Transporter	

ATTACHMENTS & ACCESSORIES22-23

Twister
Collapsible Safety Cage
Bow Shackles
Swivel Hooks
Fork Hook Attachments

SLAB RACKS, BUNDLE RACK & POSTS

24

Slab Rack
Bundle Rack
Workshop Rack
Finished Goods Rack
Remnant Rack
Steel Post Bases
Finished Goods Rack Post
Slab Rack Posts
Bundle Rack Posts
Slab Rack Storage Calculator Application

FRAMES

25-26

WOLF RACKS

TRANSPORT FRAMES

Transport Frames
Slab Buggies

FOLDING 'A' FRAMES

DEMOUNTABLE FRAMES

STORAGE FRAMES

Storage 'A' Frames
Replacement Rubber Strips
Harp Rack

TROLLEYS

Trolleys.....27
Hand Trucks.....28

WORKBENCHES & STANDS

WORKBENCHES29

Work Tables
Adjustable Height Work Tables
Fabrication Table & Stand
Trestles - Flip Trolley
Kitchen Installation Cart

SCULPTURE TABLES.....30

EDGE POLISHING STANDS30

Polishing Stand
Vertical Polishing Frames

WORKSHOP EQUIPMENT

COUNTER TOP TOOLS.....31

Joint Setters
Ratchet Seam Setter
Anti-Breakage Bars
Lamination Rail Clamps
Sinklocs

DRILL STANDS & ACCESSORIES.....32-33

Pneumatic Anchor Machine
Portable Water Supply Tank
Electric Anchor Machine
Portable Air Drill Machine
Drill Stand With Vacuum Base
Drill Guide
Water Swivel
Corner Clamp
Miter & Corner Clamp
Vacuum Pump & Vacuum Reservoir

WASTE BINS34

SITE SAWS35

WORKSHOP TOOLS.....35

SLUDGE DEHYDRATOR FILTER36

Aardwolf presents a new range of Automatic Slab Lifters with a new innovative feature:

- Auto-lock and unlock, grip and release stone slabs automatically.
- The slab is easily engaged via the jaws of the lifter.
- The heavier the load the tighter the grip.
- Lift the packed slabs out of racks and shipping containers easier.
- Stone panels can be placed close to the wall.



SLAB LIFTER WIDE JAW



SLAB LIFTER AUTOMATIC



SLAB LIFTER



SLAB LIFTER TYPE B



MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		GRIP RANGE (MM)	CAPACITY (KG)	NET WEIGHT (KG)	GRIP RANGE (INCH)	CAPACITY (LB)	NET WEIGHT (LB)
AL30AWJ	AARDWOLF SLAB LIFTER AUTOMATIC	5 - 30	1200	20.6	0.2" - 1"	2646	45
AL50A		10 - 50		19	0.4" - 2"		42
AL60A		15 - 60		25	0.6" - 2"		55
AL75A		30 - 75			1" - 3"		
AL30	AARDWOLF SLAB LIFTER	3 - 30		16	0.1"-1.2"		36
AL50		10 - 50		19	0.4" - 2"		42
AL60		15 - 60		25	0.6" - 2"		55
AL75		30 - 75			1" - 3"		
AL50B	SLAB LIFTER TYPE B	10 - 50		24	0.4" - 2"		53

THE LIFTER TWISTER IS THE PERFECT ACCESSORY TO AARDWOLF NEW PATENT PENDING AUTOGRAB LIFTERS

Aardwolf has created a new innovative device, the Lifter Twister. The device works with the Aardwolf Slab and Glass Lifters, forklift, truck crane to lift and move stone and glass sheets. The Twister is equipped the remote control and allows the user to independently perform all of the lifting and moving operations safer, faster and more convenient without the assistance of a handler on the ground.



AL30AWJ

AL30A

AL50A


AL60A

AL75A



LIFTING EQUIPMENT
VACUUM LIFTERS
AVLP1

AVLP2

AVLP4

AVLB4

ARV-180

AVLM1


PRODUCT CODE	NUMBER OF PAD	METRIC			IMPERIAL		
		PAD SIZE (MM)	LIFTING CAPACITY (KG)	NET WEIGHT (KG)	PAD SIZE (INCH)	LIFTING CAPACITY (LB)	NET WEIGHT (LB)
AVLP1	1	520 X 320	125 - 250	43	20.5" X 12.6"	276 - 551	95
AVLP2	2		250 - 500	71		551 - 1102	157
AVLP3	3		300 - 600	72		661 - 1312	159
AVLP4	4		500 - 1000	109		1102 - 2204	240
AVLB4	4	150	160	28	6"	353	62
ARV-180	4	200		63	8"		139
AVLM1	1	520 X 320	125 - 250	28	20.5" X 12.6"	276 - 551	62
AVLM2	2		500	52		1102	126

LIFTING EQUIPMENT
VACUUM LIFTERS
ELECTRIC VACUUM LIFTERS
AERV-180

AEVL1-250

AEVGLP4-500


AEVGLP8-1000



AEVLP4-500



AVGLP6-500



ARGL-500



ARGL-500DS



AEVLP8-1000




AEVLP8-2000



AEPVGL-MR



AEVGLP4



			METRIC			IMPERIAL		
MODEL	PRODUCT NAME	PAD	PAD DIAMETER (MM)	W.L.L (KG)	N.W (KG)	PAD DIAMETER (INCH)	W.L.L (LB)	N.W (LB)
AERV-180	ELECTRIC ROTATION VACUUM LIFTER	4	200	160	60	8"	353	132
AEVL1-250	ELECTRIC VACUUM LIFTER	1	520 X 320	250	35	20.5" X 12.6"	551	77
AEVGLP4-500	ELECTRIC VACUUM GLASS LIFTER	4	300	400 - 500	145	12"	882 - 1102	320
AEVGLP8-1000		8		800 - 1000	203		1764 - 2204	448
AEVLP4-500	ELECTRIC VACUUM LIFTER	4		500	192		1102	423
AVGLP6-500	VACUUM GLASS LIFTER	6			173			381
ARGL-500	DC POWERED VACUUM GLASS LIFTER	4		400 -500	69		882 - 1102	152
ARGL-500DS		8			81			179
AEVLP8-1000	ELECTRIC VACUUM LIFTER	8		1000			2204	
AEVLP8-2000			350	2000	355	14"	4408	783
AEPVGL-MR	ELECTRIC POWERED VACUUM GLASS LIFTER		280	500	204	11.0"	1102	450



LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM GLASS LIFTERS

AVGLP2-AR



AVGLP4-MR-250



AVGLP4



AVGLP8



PRODUCT CODE	NUMBER OF PAD	METRIC			IMPERIAL		
		PAD SIZE (MM)	LIFTING CAPACITY (KG)	N.W (KG)	PAD SIZE (INCH)	LIFTING CAPACITY (LB)	N.W (LB)
AVGLP2-AR	2	OVERALL:300 SEAL TO SEAL:280	200	60	OVERALL:12" SEAL TO SEAL:11"	441	132
AVGLP4-MR-250	4	SEAL TO SEAL:280	250	81	SEAL TO SEAL:11"	551	179
AVGLP4	4		400 - 500	79		882- 1102	174
AVGLP8	8	SEAL TO SEAL:300	800 - 1000	108	SEAL TO SEAL:12"	1763 - 2204	238

LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM LIFTERS HANDY

AHVL500



AVLHP240/480



AVLHP240/480



PRODUCT CODE	METRIC			IMPERIAL		
	PAD SIZE (MM)	LIFTING CAPACITY (KG)	N.W (KG)	PAD SIZE (INCH)	LIFTING CAPACITY (LB)	N.W (LB)
AHVL500	520 X 125	120	21	20.5" X 5"	265	46
	520 X 160	180		20.5" X 6.3"	397	
	520 X 220	280		20.5" X 8.7"	617	
	520 X 320	500		20.5" X 12.6"	1102	
AVLHP240/480	520 X 320	240 - 480	23	20.5" X 12.6"	529 - 1058	51
	300	120 - 240	18	12"	265 - 529	40



LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM BLOCK LIFTERS

AVBL-SERIES



A powerful battery-operated vacuum lifting device for laying marble and granite slabs, concrete and similar.

- Robust and compact design.
- Suspended on all types of lifting equipment by load hooks, chains and cables.
- Equipped with battery-operated vacuum pumps.
- Automatic vacuum pumping system.
- Audio-visual safety alarm system.
- Available in different pad sizes.

BATTERY INFORMATION FOR THE DEVICE

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
AVBL380	520 X 320	380	20.5" X 15"	838
AVBL1000	500 X 800	1000	31.5" X 19.7"	2204

CHARGING CYCLE	1000 TIMES
CHARGING TIME	8 HOURS
NON-STOP WORKING TIME	5 HOURS
STANDBY TIME	720 HOURS
BATTERY CAPACITY	12 V- 24A

LIFTING EQUIPMENT

VACUUM LIFTERS

SMALL PNEUMATIC VACUUM LIFTER

SPVL100



The SPVL100 is a small compact design vacuum lifter, which allows operators to adapt to various applications. The low weight and versatility make heavy loads easy to handle in vertical and horizontal positions, so only one person is required to handle loads.

Because the load is supported by the lifting device and not by the user, this also reduces the physical stress and strain on your employees.

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
SPVL100	400 X 240	120	15.7" - 9.4"	265



LIFTING EQUIPMENT

VACUUM LIFTERS

VACUUM BAG LIFTER

VBL



The Aardwolf vacuum bag lifter is ideal for safely and quickly moving all types of sacks, bags, and carton boxes. The Vacuum Bag Lifter is equipped with an electric vacuum pump, a vacuum hose, a lift tube, a control unit, and a suction foot.

- Motor power: 5kw – 380V-3phase
- Vacuum pump model: FPZ R30-D
- Lifting capacity: Nonporous load: 70 to 100 kg and Porous load: 60 to 80 kg

MONO MECHANICAL LIFTERS



MONO MECHANICAL LIFTERS (IN LINE)



PRODUCT CODE	PRODUCT NAME	NUMBER OF PADS	PAD DIAMETER (MM)	W.L.L (KG)	N.W (KG)	PAD DIAMETER (INCH)	W.L.L (LB)	N.W (LB)
AMMVL150	MONO MECHANICAL VACUUM LIFTERS	1	200	150	12	8"	331	26
AMMVL270			300	270	22	12"	595	49
AMMVL650			450	650	36	17.7"	1433	79
AMMVL1000			530	1000	55	21"	2204	121
AMVL250-2	MECHANICAL VACUUM LIFTERS	2	300	250	46	12"	551	101
AMVL250-4		4	190		49	7.5"		108
AMVL250-4 (IN LINE)		4	120		47	4.7"		104
AMVL250-8		8	300		63	12"		139
AMVL600-2		2	225	600	62	9"	1323	137
AMVL600-4		4	300		87	7.5"		192
AMVL600-4 (IN LINE)		4	190		73	12"		161
AMVL600-8		8	300		74	7.5"		163
AMVL600-10		10	450	1000	351	17.7"	2204	774
AMVL1000-2		2	300		245	12"		529
AMVL1000-4		4	190		225	7.5"		496
AMVL1000-8		8	300		318	12"		701
AMVL1000-10		10	450		340	7.5"		750

APSL



AVPL40



MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
APSL	200 X 200	60	8" X 8"	132
	260 X 260	120	10" X 10"	264

MODEL	VACUUM PAD (MM)	W.L.L (KG)	VACUUM PAD (INCH)	W.L.L (LB)
AVPL40	120 X 220	40	4.7" X 8.7"	88
	80 X 120	12	3.1" X 4.7"	26
	150	40	6"	88

MODEL	METRIC		IMPERIAL	
	PACKAGING DIMENSION (MM)	N.W (KG)	PACKAGING DIMENSION (INCH)	N.W (LB)
PSAVLP1	840 X 400 X 200	13	33" X 15.7" X 7.9"	29
PSAVLP4	860 X 390 X 210	15	33.9" X 15.4" X 8.3"	33

PSAVLP SERIES


AARDWOLF VACUUM LIFTERS



LIFTING EQUIPMENT

SLAB LIFTERS

HORIZONTAL STONE LIFTING CLAMPS

AHLC-730



AHLC-2010-4T



MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	CAPACITY (KG)	N.W (KG)	GRIP RANGE (INCH)	CAPACITY (LB)	N.W (LB)
AHLC-730	280 - 730	1500	112	11" - 28"	3307	247
AHLC-1050	280 - 1050	1500	121	11" - 41"	3307	267
AHLC-1370	280 - 1370	1500	124	11" - 54"	3307	273
AHLC-2010	280 - 2010	1500	137	11" - 79"	3307	302
AHLC-2010-4T	300 - 2010	4000	228	12" - 79"	8818	503



LIFTING EQUIPMENT

SLAB LIFTERS

SCISSOR CLAMP LIFTERS

SCISSOR CLAMP LIFTER



MODEL	METRIC		IMPERIAL	
	GRIP RANGE (MM)	W.L.L (KG)	GRIP RANGE (INCH)	W.L.L (LB)
ASL105	0 - 105	750	0 - 4"	1653
ASL125	0 - 125	750	0 - 5"	1653
ASL200	50 - 200	1000	2" - 8"	2204
ASL300	150 - 300	1500	6" - 12"	3307
ASL450	300 - 450	2000	12" - 18"	4410

LIFTING EQUIPMENT

SLAB LIFTERS

VERSA BLOCK CLAMPS



VERSA BLOCK CLAMP



The Versa Block Clamp is made for lifting and moving concrete blocks, rubber tyres, drums or other materials. The clamp consists of two sliding pads that can be adjusted to the desired widths and they are locked by a locking latch on each side.

MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
AVBC-600	100 - 600	1200	50	4" - 23"	2646	110
AVBC-1100	150 - 1100	3000	161	6" - 43"	6614	355

LIFTING EQUIPMENT
SLAB LIFTERS
MONUMENT CLAMP/LIFTERS
GPM1000

GPM1000-A

GPM1500-A


MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	W.L.L (KG)	NET WEIGHT (KG)	GRIP RANGE (INCH)	W.L.L (LB)	NET WEIGHT (LB)
GPM1000	0 - 300	1000	33	0 - 12"	2204	73
GPM1000-A	20 - 300	1000	33	1" - 12"	2204	73
GPM1500-A	20 - 300	1500	52	1" - 12"	3307	115


LIFTING EQUIPMENT
SLAB LIFTERS
BARRIER LIFTERS
ABL-255/2000


The Aardwolf Barrier Lifters are the solution for lifting and moving heavy granite slabs, sandstone blocks and concrete barriers in a safe, easy and efficient manner. The material contact surface is protected by the clamp rubber covering. The clamps are gravity controlled, which opens when rested and closes when lifted.

MODEL	METRIC			IMPERIAL		
	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ABL-255/2000	100 - 255	2000	84	4" - 10"	4408	185
ABL-255/3000	100 - 255	3000	146	4" - 10"	6614	322
ABL-360/5000	100 - 360	5000	412	4" - 14.2"	11023	908

LIFTING EQUIPMENT
SLAB LIFTERS
BILLET LIFTERS
BL59


The Aardwolf Slab Billet Clamp is used for handling marble and granite slabs from the billet saw.

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
BL59	5 - 60	200	16
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
BL59	0.2" - 2"	441	35

LIFTING EQUIPMENT

DRUM LIFTER

ADC-572



The Drum Clamp is especially designed for lifting and moving drums in vertical position.

METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ADC-572	572	500	20
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ADC-572	22"	1102	44

LIFTING EQUIPMENT

BRICK LIFTERS

ABGL-1800



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ABGL-1800	800 - 1100	1800	561
HBSG-1500	0 - 1200	1500	950
IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ABGL-1800	31" - 43"	3968	1237
HBSG-1500	0 - 47"	3307	2095

LIFTING EQUIPMENT

ROCK LIFTERS

ARL-800 / ARL - 1200



MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ARL-800	350 - 800	750	119
ARL-1200	600 - 1200	1500	354
ASG	350 - 1200	2000	165
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ARL-800	14" - 31"	1653	262
ARL-1200	23.6" - 47.2"	3307	780
ASG	14" - 47"	4409	364

LIFTING EQUIPMENT

GLASS LIFTER

METRIC

MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
AL30AWJH	5 - 30	1200	-

IMPERIAL

MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
AL30AWJH	0.2" - 1"	2646	-

AL30AWJH



LIFTING EQUIPMENT

PIPE LIFTERS

Fast, efficient, flexible, smart and fully automatic, the Aardwolf mechanical lifters are designed to safely lift concrete pipes. The lifter does not require additional hydraulics. The operator is able to use the pipe lifter to grab, lift and move pipes without assistance.

CONCRETE PIPE LIFTER



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	N.W (KG)
ACPL750	400 - 500	750	150
ACPL1500	500 - 750	1500	226
ACPL2500	750 - 1000	2500	564

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	N.W (LB)
ACPL750	15" - 20"	1653	331
ACPL1500	20" - 29"	3307	498
ACPL2500	29" - 39"	5511	1243

LIFTING EQUIPMENT

ROUND BAR LIFTERS

RBL200



RBL305



METRIC		
MODEL	GRIP RANGE (MM)	W.L.L (KG)
RBL200	180 - 200	150
RBL305	200 - 305	320

IMPERIAL		
MODEL	GRIP RANGE (INCH)	W.L.L (LB)
RBL200	7" - 8"	331
RBL305	8" - 12"	706

LIFTING EQUIPMENT

SLAB LIFTERS

PIPE HANDLING ATTACHMENT

Faster, smarter, more efficient, flexible and fully automatic features enable the Pipe Handling Attachment to safely lift concrete pipes. No hydraulic power supply, slings, chains or manual assistants are needed during the lifting process.

PHA4000



METRIC			
MODEL	GRIP RANGE (MM)	W.L.L (KG)	PIPE LENGTH (MM)
PHA4000	300 - 1200	4000	2500

IMPERIAL			
MODEL	GRIP RANGE (INCH)	W.L.L (LB)	PIPE LENGTH (INCH)
PHA4000	12" - 47"	8818	98.4"

LIFTING EQUIPMENT

PALLET CRANE FORK

Aardwolf Pallet Crane Fork offers a flexible lifting solutions for loading, unloading, handling and transporting heavy materia within production environments. Aardwolf Pallet Crane Fork is a crane attachments engineered to optimize efficiency for overhead lifting for material handling systems.

APCF



METRIC		
MODEL	W.L.L (KG)	NET WEIGHT (KG)
APCF	2500	242

IMPERIAL		
MODEL	W.L.L (LB)	NET WEIGHT (LB)
APCF	5511	534

LIFTING EQUIPMENT


SLAB LIFTERS

SPREADER BEAMS

Providing lifting solution the large stone slabs to increase safety and efficiency.

- Highly safe and efficient lift large stone slabs.
- Keeps large materials balanced for safer transport.

SPREADER BEAM



METRIC		
MODEL	W.L.L (KG)	NET WEIGHT (KG)
ASB-2.5T	2500	46
ASB-3.5T	3500	73
ASB-5T	5000	104.7

IMPERIAL		
MODEL	W.L.L (LB)	NET WEIGHT (LB)
ASB-2.5T	5511	101
ASB-3.5T	7716	161
ASB-5T	11023	231

LIFTING EQUIPMENT

SLAB BUNDLE HANDLERS

SLAB BUNDLE HANDLERS




METRIC		
MODEL	W.L.L (KG)	NET WEIGHT (KG)
GBH01	2500	2030
SBH01	3000	2000
SBH02	5000	3200

IMPERIAL		
MODEL	W.L.L (LB)	NET WEIGHT (LB)
GBH01	5511	4475
SBH01	6614	4408
SBH02	11023	7055

LIFTING EQUIPMENT
STONE CARRYING HAND CLAMPS
SCC02

SCC03

SCC05

ASKC200

SCC04


MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		GRIP RANGE (MM)	W.L.L (KG)	NET WEIGHT (KG)	GRIP RANGE (INCH)	W.L.L (LB)	NET WEIGHT (LB)
SCC02	STONE PANEL CARRIERS	0 - 52	150/PAIR	2.3	0 - 2"	331/PAIR	4
SCC03	CARRY CLAMP FOR SHEET MATERIAL	0 - 64	200/PAIR	6.6	0 - 2"	441/PAIR	14.6
SCC04	STONE & CURB PLACEMENT CLAMP	100 - 500	200	16.9	4" - 20"	441	37.3
SCC05	CARRY CLAMP FOR SHEET MATERIAL	50 - 100	200/PAIR	8.3	2" - 4"	441/PAIR	18
ASKC200	STONE KERB CLAMP	0 - 260	200	23	0 - 10"	441	51



HVC



HVC01



OHVC



HVC05



HVC06



HVCC



MODEL	NAME	METRIC			IMPERIAL		
		CUP DIAMETER (MM)	W.L.L (KG)	N.W (KG)	CUP DIAMETER (INCH)	W.L.L (LB)	N.W (LB)
HVC	HAND VACUUM CUP LIFTER	220	120	1.46	8.7"	265	3.2
HVC01	HAND VACUUM CUP LIFTER		100	1.3	8.7"	220	2.9
OHVC	OVAL HAND VACUUM CUP LIFTER				15" - 3.1"		
HVC05	DOUBLE SUCTION CUP	122	50 - 100	0.8	4.8"	110 - 220	1.8
HVC06	TRIPLE SUCTION CUP		75 - 150	1		165 - 331	2.2
HVCC	HAND VACUUM CUP CARRIER	220	75 - 150	1	8.7"	165 - 331	2.2

LIFTING EQUIPMENT
CARGO LASHINGS & SLINGS
**ENDLESS
WEBBING SLING**

**RATCHET TIE
DOWN**


MODEL	METRIC			IMPERIAL		
	WEBBING WIDTH (MM)	EFFECTIVE LENGTH (MM)	W.L.L. (KG)	WEBBING WIDTH (INCH)	EFFECTIVE LENGTH (INCH)	W.L.L. (LB)
CLS1T	50	3000	1000	2"	118"	2204
CLS2T	60		2000	2.4"		4408
CLS3T	90		3000	3.5"		6614
RTD2A	50	9150	2500	2"	360.2"	5511
RTD1B	25	3000	225	1"	118"	500


HAND VACUUM CUP
WORKING LOAD LIMIT
120 KGS - 260 LBS


JIB CRANES

CMA01



AJCOCM



AGC-1000



AMCC



APCC



APCCL



TRANSPORT FRAME



JIB CRANES

		METRIC		IMPERIAL	
MODEL	PRODUCT NAME	MAXIMUM SPANS (MM)	W.L.L (KG)	MAXIMUM SPANS (INCH)	W.L.L (LB)
CMA01	ARTICULATED JIB CRANE - COLUMN MOUNTED	7000	500	275.6"	1102
AJCOCM	OVER BRACED JIB CRANE - COLUMN MOUNTED		1000		2204
AGC-1000	PORTABLE GANTRY CRANE FROM AARDWOLF	3000	1000	118"	2204
AJCAWM	ARTICULATED JIB CRANE - WALL MOUNTED AJCAWM	5000	500	197"	1102
AJCOWM	OVER BRACED JIB CRANE - WALL MOUNTED	6000	500	236.2"	
AJCPIL	360° ROTATION - PILLAR MOUNTED JIB CRANE		2000		4408
MODEL	PRODUCT NAME	EXTENDED (MM)	W.L.L (KG)	EXTENDED (INCH)	W.L.L (LB)
AMCC	MANUAL COUNTERBALANCE CRANE	LENGTH: 1700 HEIGHT: 2760	540	LENGTH: 66.9" HEIGHT: 108.6"	1190
APCC	POWERED COUNTERBALANCE CRANE				
APCCL	POWERED COUNTERBALANCE CRANE WITH LATERAL MOVEMENT				




**HIGH-GRADE AUSTRALIAN
RECTANGULAR TUBE STEEL**

ADJUSTABLE LENGTH


MODEL	METRIC			IMPERIAL		
	MANUAL TELESCOPE (MM)	INCREMENT (MM)	WORKING LOAD LIMIT (KG)	MANUAL TELESCOPE (INCH)	INCREMENT (INCH)	WORKING LOAD LIMIT (LB)
FB1-2720	1610 - 2724	557	RETRACTED:1500/ EXTENDED: 500	63.4" - 107"	21.9"	RETRACTED:3307/ EXTENDED:1102
FB2-3580	2107 - 3580	491	RETRACTED:1500/ EXTENDED: 600	83" - 141"	19.3"	RETRACTED:3307/ EXTENDED: 1322
FB3-5380	2196 - 5380	796	RETRACTED: 2400/ EXTENDED: 300	86.5" - 212"	31.3"	RETRACTED: 5291/ EXTENDED: 661
FB4-4800	2800 - 4800	1000	RETRACTED: 3000/ EXTENDED:1000	110" - 189"	39.4"	RETRACTED: 6614/ EXTENDED:2204
FB2LP-3600	2121 - 3603	494	RETRACTED: 2400/ EXTENDED: 600	84.5" - 141.9"	19.4"	RETRACTED: 5291/ EXTENDED: 1322
FB3LP-5420	2210 - 5410	800	RETRACTED: 2400/ EXTENDED: 300	87" - 213"	31.5"	RETRACTED: 5291/ EXTENDED: 661
PFB1-2600	1500 - 2600	560	RETRACTED: 1500/ EXTENDED: 500	59" - 102.4"	22"	RETRACTED: 3307/ EXTENDED: 1102
PFB2-3450	1930 - 3412	494	RETRACTED: 1500/ EXTENDED: 600	76" - 134.3"	19.4"	RETRACTED: 3307/ EXTENDED: 1322

The Aardwolf Double Forklift Boom (DFB2-5000) is a telescoping two section rectangular tube steel boom designed for removing bundles of marble and granite slabs from closed top containers. Thanks to its design, without any impediments between the fork booms, the operator can insert the full length of the booms into the container and bring the load right back to the fork mask, allowing for greater load capacity and more stability.



DFB2-5000


MODEL	MANUAL TELESCOPE (MM)	INCREMENT (MM)	WORKING LOAD LIMIT (KG)	MANUAL TELESCOPE (INCH)	INCREMENT (INCH)	WORKING LOAD LIMIT (LB)
DFB2-5000	320 - 1270	600	5000	12.6" - 50"	23.6"	11023

FORKLIFT EQUIPMENT

FORK EXTENSIONS

FORK EXTENSIONS



MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		WORKING LENGTH (MM)	W.L.L (KG)	N.W (KG)	WORKING LENGTH (INCH)	W.L.L (LB)	N.W (LB)
FES-1500	STANDARD (PAIR)	1500	1500	46	59"	3307	101
FES-2000		2000		62	78.7"		137
FES-2500		2500		86	98.4"		190
AFE-1500	HEAVY DUTY (PAIR)	1500	2500	74	59"	5511	163
AFE-2000		2000		91	78.7"		201
AFE-2500		2500		122	98.4"		269
FET-01				10.5			23


FORKLIFT EQUIPMENT

FORK ATTACHMENTS & ACCESSORIES

MSS



FHAD2



FHASF1



SWIVEL HOOK



BOW SHACKLE



ACSC



SS15T



SSC15T



MODEL	PRODUCT NAME	METRIC		IMPERIAL	
		W.L.L (KG)	NET WEIGHT (KG)	W.L.L (LB)	NET WEIGHT (LB)
MSS	TWISTER - MOTORISED SWIVEL	1200	31	2646	68
FHAD2	FORK HOOK ATTACHMENT - DOUBLE FORK	3000	13	6614	29
FHASF1	FORK HOOK ATTACHMENT - SINGLE FORK	1500	7.5	3307	16.5
SH15T/SH30T/SH70T	SWIVEL HOOK (ALLOY STEEL)	1500/3000/7000	0.60/1.4/4	3307/6614/15432	1.36/3.1/9
BS13T/BS30T	BOW SHACKLE	1500/3250	0.2	3307/7165	0.44
ACSC	COLLAPSIBLE SAFETY CAGE	250	155	551	342
SS15T	FORGED ALUMINIUM SWIVEL	1500	0.5	3307	1
SSC15T	COMBO SWIVEL-CHAIN-LIFTING LUG		1.5		3.3



SLAB RACKS & BUNDLE RACKS

ASR01

ABR01

AFGR

AWR01P

ARR01


MODEL	PRODUCT NAME	RAIL LENGTH (MM)	POST (MM)	NET WEIGHT OF BASE (KG)	RAIL LENGTH (INCH)	POST (INCH)	NET WEIGHT OF BASE (LB)
AFGR	FINISHED GOODS RACK	2400	50 X 50	24/PCS	94.5"	2" X 2"	53/PCS
AWR01P	WORKSHOP RACK			78/PCS			172/PCS
ASR01	SLAB RACK	3000	100 X 50		118"	3.9" X 2"	
ABR01	BUNDLE RACK			84/PCS			
ARR01	REMNANT RACK						




MODEL	PRODUCT NAME	POST SIZE (MM)	POST SIZE (INCH)
FGR06	FINISHED GOODS POST RACK	50 X 50 X 700	2" X 2" X 27.6"
ASR06	SLAB RACK POSTS	50 X 50 X 800	2" X 2" X 31.5"
ASR07		50 X 50 X 1200	2" X 2" X 47.2"
ASR08		50 X 50 X 1400	2" X 2" X 55.1"
ASR09		50 X 50 X 1600	2" X 2" X 63"
ASR10		50 X 50 X 1800	2" X 2" X 70.8"
ABR06	BUNDLE RACK POSTS	100 X 50 X 1200	4" X 2" X 47.2"
ABR07		100 X 50 X 1400	4" X 2" X 55.1"
ABR08		100 X 50 X 1600	4" X 2" X 63"

FRAMES

FOLDING 'A' FRAMES



WOLF RACK



DEMOUNTABLE FRAME



SLAB BUGGY



STONE 'A' FRAME



HARP RACK



TRANSPORT FRAME-AF1850



TRANSPORT FRAME-AF2440



TRANSPORT FRAME-TF2000



TRANSPORT FRAME-TF2440



TRANSPORT FRAME-TF3050



TRANSPORT FRAME-TF3050H



PRODUCT CODE	CATEGORY	METRIC			IMPERIAL		
		WIDTH OF EACH SIDE (MM)	W.L.L (KG)	NET WEIGHT (KG)	WIDTH OF EACH SIDE (INCH)	W.L.L (LB)	NET WEIGHT (LB)
FAF1600	FOLDING 'A' FRAMES	386	6000	171	15.2"	13228	377
FAF1800		352		250.5	13.9"		552
FAF2100		465	7500	286.5	18.3"	16534	632
WR1270/1200	WOLF RACKS	230	1000	48	9"	2204	106
WR1270/1600			1200	65		2645	143
WR1270/2000				75			165
WRP1270/1200		230	1000	51		2204	112
WRP1270/1600			1200	70		2645	154
WRP1270/2000				83			183
DFH200	DEMOUNTABLE FRAME	304	750	92	12"	1653	202
DFF200		300	1000	102	11.8"	2204	225
DFF400				162			357
DFF1500PC		361		123.5	14.2"		272
DAF2350PC		212	1500	170.5	8.3"	3307	376
TFDFF24		300	1000	63	11.8"	2204	139
TFDFH2		304	750	45	12"	1653	99
AF1850QP	TRANSPORT FRAME	295	1100 - 4000	246	11.6"	2425 - 8818	542
AF2440QP		323	2000 - 4000	272	12.7"	4408 - 8818	600
SBSS-E		204.5	400	41	8"	881.8	90
SBSS			600	44.8		1323	98.8
SBDS			750	61.7		1653	136
TF2000		268	2500	172	10.6"	5511	379
TF2440				193			425
TF3050				239			527
TF3050H		207		260	8"		573
SAF01	STONE 'A' FRAME	610	5000	137	24"	11023	302
SAF02		620	5500	66.5	24.4"	12000	147
SAF03		557	5500	102.5	21.9"		226
AHR	HARP RACK	-	1000	-	-	2204	-



TROLLEYS

TROLLEYS



AST01



ALM01



AQT01



ABT01



SELF LOCKING TROLLEY



		METRIC					IMPERIAL				
MODEL	PRODUCT NAME	GRIP RANGE (MM)	W.L.L (KG)	RUBBER WHEEL (MM)	SUPPORT PLATE (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	W.L.L (LB)	RUBBER WHEEL (INCH)	SUPPORT PLATE (INCH)	NET WEIGHT (LB)
AST01	SLAB TROLLEY		300	205	402 x 80 x 41	8		661	8"	15.8" X 3" X 1.6"	18
ALM01	LOAD MASTER		400	350	858 x 80 x 41	15		882	13.8"	33.8" x 3.1" x 1.6"	33
AQT01	QUAD TROLLEY		300	265	550 x 80 x 41	17		661	10.4"	21.7"X 3"X 1.6"	37
ABT01	BROAD TROLLEY		450	350	854 x 212 x 50	28		992	13.8"	33.6"X 8.3"X 2"	61.7
SL60	SELF LOCKING TROLLEY	0 - 60	400	265	500	14	0 - 2"	882	10.4"	19.7"	31
SL85		0 - 85		400		26	0 - 3"		15.7"		57
SL100		0 - 100				28	0 - 4"				62
SL155		0 - 155				30	0 - 6"				66

FOLDING 'A' FRAMES - Sturdy and safe structure



TROLLEYS
HAND TRUCKS
AHT750

AHT500

AHT750H

AHPT750

AHPT1000

AHPT1000A

AHTC750

AHTC1500

AFT01


MODEL	PRODUCT NAME	METRIC					IMPERIAL				
		HEIGHT (MM)	TRACK WIDTH (MM)	BLADE DIMENSION (MM)	RUBBER WHEEL (MM)	W.L.L (KG)	HEIGHT (INCH)	TRACK WIDTH (INCH)	BLADE DIMENSION (INCH)	RUBBER WHEEL (INCH)	W.L.L (LB)
AHT500	HAND TRUCK MOD	338	580	580 X 210	265	500	13.3"	22.8"	22.8" X 8.3"	10.4"	1102
AHT750		1260	580	420 X 80	250	750	49.6"	22.8"	16.5" X 3.1"	9.8"	1653
AHT750H		1360	620	420 X 60	400		53.5"	24.4"	16.5" X 2.4"	15.7"	
AHPT750		1308	630	360 X 100	350		51.5"	24.8"	14.2" X 3.9"	13.8"	
AHPT1000		1585	700	420 X 90	400	1000	62.4"	27.6"	16.5" X 3.5"	15.7"	2204
AHTC750	TRANSPORT TRUCK	1400	580	355 X 130	265	750	55.1"	22.8"	14" X 5"	10.4"	1653
AHTC1500		1734	685	470 X 120	400	1250	68.3"	27"	18.5" X 4.7"	15.7"	2756
AFT01	FRONT TROLLEY	1520	600	-	260		59.8"	23.6"	-	10.2"	

WORK TABLE

FABRICATION TABLE

TRESTLE

FLIP TROLLEY


MODEL	PRODUCT NAME	METRIC			IMPERIAL		
		SIZE OF TABLE (MM)	WIDTH WITH THE TOP (MM)	W.L.L (KG)	SIZE OF TABLE (INCH)	WIDTH WITH THE TOP (INCH)	W.L.L (LB)
WT600	WORK TABLES	1906 X 600	679	500	75"X 23.6"	26.7"	1102
WT910		1906 X 915	950		75"X 36"	37.4"	
AHWT600	ADJUSTABLE HEIGHT WORK TABLES	1906 X 600	HEIGHT		75"X 23.6"	HEIGHT	
AHWT910		1906 X 915	950		75"X 36"	37.4"	
PFT01	PREMIUM FABRICATION TABLE	-	-	450	-	-	992
FT01	FABRICATION TABLE	2130 X 725	-	300	83.9" X 28"	-	661
AEFT	ECONOMY FABRICATION TABLE	1840 X 610	-	200	72.4" X 24"	-	440
FS01	FABRICATION STAND	-	915 - 1118	650	-	36" - 44"	1433
MODEL	PRODUCT NAME	ADJUSTABLE WIDTH (MM)	HEIGHT (MM)	W.L.L (KG)	ADJUSTABLE WIDTH (INCH)	HEIGHT (INCH)	W.L.L (LB)
AT765N	TRESTLES	100	765	1000	3.9"	30.1"	2204
AT855N			855			34.8"	
AT765W			765			30.1"	
AT855W			855			34.8"	
FT02	FLIP TROLLEY			500			1102

WORKBENCHES & STANDS

SCULPTURE TABLES

SCULPTURE TABLE



HYDRAULIC TABLE



	METRIC	IMPERIAL
MODEL	W.L.L (KG)	W.L.L (LB)
SCULPTURE TABLE		
ST750	750	1653
ST1000	1000	2204
HYDRAULIC SCULPTURE TABLE		
STH4L	750	1653
STH5L		

WORKBENCHES & STANDS

EDGE POLISHING STANDS

PSALG01



VERTICAL POLISHING FRAME



MODEL	PRODUCT NAME	GRIP RANGE (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	NET WEIGHT (LB)
PSALG01	POLISHING STAND AUTO LOCK	0 - 60	33	0 - 2"	73
VPF700	VERTICAL POLISHING FRAMES	0 - 55	18	0 - 2"	40
VPF1300			38		83
VPF1800			28		61
VPF2400			30		66
FV80	FLOOR VICE	0 - 80	7	0 - 3"	15
FVASL60	FLOOR VICE AUTO	0 - 60		0 - 2"	

WORKBENCHES & STANDS

KITCHEN INSTALLATION CART

AKIC



The Aardwolf Kitchen Installation Cart provides a safer means of stone transportation and installation. The frame features a series of transfer bearings allowing the countertop to roll into place without friction, and without strain, while increasing productivity and efficiency.

HEIGHT OF THE FRAME FROM THE GROUND TO SUPPORT RAIL	350 - 1035 MM	13.8"- 40.7"
WORKING LOAD LIMIT	500 KG	1102 LB
NET WEIGHT	180 KG	397 LB

JOINT SETTER



CTTRSS1



LAMINATION RAIL



SINKLOC



ANTI-BREAKAGE BAR



MODEL	PRODUCT NAME	NET WEIGHT (KG)	VACUUM BASE SIZE (MM)		NET WEIGHT (LB)	VACUUM BASE SIZE (INCH)	
BOSS	BATTERY JOINT SETTER	15	230 X 190		33	9" X 7.5"	
EOSS	ELECTRIC JOINT SETTER	16			35		
CTTRSS1	RATCHET SEAM SETTER	6	-		13	-	
MODEL	PRODUCT NAME	GRIP RANGE (MM)	LENGTH (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	LENGTH (INCH)	NET WEIGHT (LB)
CTTABB4	ANTI-BREAKAGE BAR 4'	17 - 45	1220	8.4	0.7" - 2"	48	19
CTTABB6	ANTI-BREAKAGE BAR 6'		1830	12		72	26
CTTABB8	ANTI-BREAKAGE BAR 8'		2440	14		96	31
CTTBC5	LAMINATION RAIL CLAMP 5'	26 - 63	127	0.7	1" - 2"	5	1.5
CTTBC10	LAMINATION RAIL CLAMP 10'		245	1		9.6	2
CTTBC2	LAMINATION RAIL CLAMP 2'		610	3		24	7
CTTBC3	LAMINATION RAIL CLAMP 3'		915	4		36	9
CTTBC4	LAMINATION RAIL CLAMP 4'		1220	5		48	11
CTTBC6	LAMINATION RAIL CLAMP 6'		1830	6		72	13
CTTS24	SINKLOC 24	0 - 450	-	2	0 - 17"	-	4
CTTS42	SINKLOC 42		-	3.5		-	8

WORKSHOP EQUIPMENT
DRILL STANDS & ACCESSORIES
APAM

EAM

APADM

DSA07

DG01

PWST

WS01

WS02

WS03

WS04


			METRIC		IMPERIAL	
MODEL	PRODUCT NAME	NO LOAD SPEED (RPM)	DRILLING BORE SIZE (MM)	NET WEIGHT (KG)	DRILLING BORE SIZE (INCH)	NET WEIGHT (LB)
APAM	PNEUMATIC ANCHOR MACHINE	25000	6	3	0.2"	7
EAM	ELECTRIC ANCHOR MACHINE	30000	6	4	0.2"	9
APADM	PORTABLE AIR DRILL MACHINE	1200	50	10	2"	22
DSA07	DRILL STAND WITH VACUUM BASE		60	6	2.4"	13
DG01	DRILL GUIDE		43(DRILL COLLAR)	3	1.7" (DRILL COLLAR)	7
PWST	PORTABLE WATER SUPPLY TANK	WORKING PRESSURE: 0.15 - 0.6 MPA			TANK CAPACITY: 16 LITERS	
WS	WATER SWIVEL	OPTIONAL ADAPTER: M.1/2 - M.5/8 NPT - M.M14 - Φ10				

MC250



ACC250



ABMC MITER



ABMC CORNER




MODEL	PRODUCT NAME	GRIP RANGE (MM)	CUP DIAMETER (MM)	NET WEIGHT (KG)	GRIP RANGE (INCH)	CUP DIAMETER (INCH)	NET WEIGHT (LB)
MC250	AARDWOLF MITER CLAMP	50 - 250	118	4	2" - 10"	4.6"	9
ACC250	AARDWOLF CORNER CLAMP			7			15
ABMC	MITER CLAMPS - VACUUM ASSISTED	-	-	12	-	-	26.4

AVPP



The battery-operated Aardwolf's vacuum pump & vacuum reservoir is machined from high-grade aluminum and includes pressure switch and vacuum gauge together with dual-port configuration.

- Vacuum reservoir. 770 cm³ (47"3).
- Max Flow Rate: 13 liters/minute (0.46 cfm).
- Max Vacuum: -80 kpa.
- Dual-port configuration.
- Integrated non-return valve.
- Vacuum level indicator with LED indicator.
- Water-resistant to withstand direct rain.
- Voltage: 12V.V - Weight: 1.88 kgs (4.15 lbs).



WORKSHOP EQUIPMENT

WASTE BIN

DROP BOTTOM BIN



POWDER COATED



GALVANISED



		METRIC		IMPERIAL	
MODEL	PRODUCT NAME	W.L.L (KG)	NET WEIGHT (KG)	W.L.L (LB)	NET WEIGHT (LB)
WB620PC	WASTE BIN (POWDER COATED)	1000	170	2204	375
WB1000PC		1500	221	3307	487
WB1000G	WASTE BIN (GALVANISED)				
ADBB-2000	DROP BOTTOM BIN			366	



WORKSHOP EQUIPMENT

SITE SAW

SSM 1200



SSM 2000



MODEL	POWER SUPPLY	METRIC		IMPERIAL	
		TOTAL LENGTH (MM)	NET WEIGHT (KG)	TOTAL LENGTH (INCH)	NET WEIGHT (LB)
SSM1200	220V-1PHASE 50-60HZ	1370	151	54"	333
SSM2000		1540	210	60.6"	463

WORKSHOP EQUIPMENT

WORKSHOP TOOLS

CNCTR15



CNCTC30



CNCTC42



MODEL	PRODUCT NAME	TOOL HOLDER	METRIC	IMPERIAL
			PACKAGING DIMENSION (MM)	PACKAGING DIMENSION (INCH)
CNCTR15	CNC TOOLING RACK	15	730 X 440 X 210	28.7" X 17.3" X 8.3"
CNCTC30		30	860 X 520 X 250	34" X 20.5" X 9.8"
CNCTC42		42	1230 X 540 X 300	48.4" X 21.3" X 12"



Get The Aardwolf AAdvantage



WORKSHOP EQUIPMENT

SLUDGE DEHYDRATOR FILTER

The AARDWOLF Sludge Dehydrator Filter is a dehydration system for the fast collection and trapping of the abrasive mud produced by machining and finishing marble, granite, and other stone. The AARDWOLF Sludge Dehydrator Filter is an economical, one step method in separating and dewatering sludges and slurries. The AARDWOLF Sludge Dehydrator Filter is constructed of Stainless Steel and consists of four basic components: pump, mud holding tank, clean water tray, and filter bags. The AARDWOLF Sludge Dehydrator Filter has no moving parts and requires minimal maintenance.




SPECIFICATIONS

- Dimensions – 89.4" x 86.6" x 23.6"
(227cm x 222cm x 60cm)
- Weight – 617 lbs (280kg)
- Power requirements (USA) – 230v 60Hz
- Weekly Output Capacity of Dry Mud – 22 ft³
- Mud Holding Tank Capacity – 145 Gallons
(550 liters)
- Sump pump - 6E-CIA-SFS 189 lpm / or equal
- Float Switch – Mechanical
- Valves – 2 inch BSP Brass Nickel Plated

PACKAGE INCLUDES

- 4 plastic curtains
- 2 stainless steel curtain rods
- 1 industrial water hose
- 3 industrial hose clamps
- 15 polypropylene filtration bags
- 1 pit cleaning tool/ air stick




AARDWOLF COMBO BOOM, SWIVEL & LIFTING CLAMP

COMBO 1




COMBO 2



COMBO 3



AARDWOLF COMBO BOOM, SWIVEL & LIFTING CLAMP



GENERAL CATALOGUE

FOR STONE, GLASS & STEEL INDUSTRIES



Get The Aardwolf AAdvantage

2021



AMERICA



AARDWOLF AMERICA

- 📍 19201 S Reyes Avenue, Unit C7
Compton California, 90221
- ☎ (562) 553-6050
- ✉ leo@aardwolfusa.com
- 🏠 www.aardwolfusa.com

AUSTRALIA



AARDWOLF AUSTRALIA

- 📍 1/5 Stanton Road,
Seven Hills NSW 2147
- ☎ +02 9838 8427
- ✉ enquiries@aardwolfaustralia.com
- 🏠 www.aardwolfaustralia.com

GERMANY



STONE GLASS EQUIPMENT UG

- 📍 Am Gutstück 11, 8451 Crimmitschau
Blankenhain, Germany.
- ☎ +49 366 0811 9236
- ✉ sales@aardwolf.com.de
- 🏠 www.aardwolf.com.de

INDIA



AARDWOLF NORTH INDIA

- 📍 Harmara Road, Industrial Area,
Madanganj, Kishangarh, Rajasthan
India / Pin no. 305801
- ☎ Tel: +91 93584 48474
- ✉ sales@aardwolf.co.in
- 🏠 Web: www.aardwolf.co.in

INDIA



AARDWOLF SOUTH INDIA

- 📍 # 9/27, Ground Floor, 5th Main Road,
Ganesha Block, Sultanpalya,
RT Nagar Post, Bengaluru-560 032
- ☎ +91 990172 4600
- ✉ bengaluru@aardwolf.co.in
- 🏠 www.aardwolf.co.in

INDIA



AARDWOLF CENTRAL INDIA

- ☎ +91 97659 06007
- ✉ mumbai@aardwolf.co.in
- 🏠 www.aardwolf.co.in

VIETNAM



AARDWOLF VIETNAM

- 📍 1B, An Phu, Thuan An,
Binh Duong, Vietnam.
- ☎ +84 274 371 2827438/39
- ✉ sales@aardwolf.com.au
- 🏠 www.aardwolf.com.au

AARDWOLF PRODUCT VIDEO
www.youtube.com/user/AardwolfGroup



CONTACT US



aardwolfusa.com



leo@aardwolfusa.com



(562) 553-6050