




OWNER'S MANUAL

SELF LOCKING

TROLLEY

SL-155



SELF LOCKING TROLLEY - SL155

The automatic clamping feature allows the trolley to move and transport heavy slab materials in a flexible and easy manner. Pneumatic wheels with a high grip meet the demand for transport on every terrain from even to rough.


FEATURES

- Grips material automatically and securely
- Clamping supports and base are rubber padded
- Easily moves the materials


SPECIFICATION

| SL - 155 | Metric | Imperial |
|-----------------------|----------------|-----------------|
| Grip range | 0 - 155 mm | 0 - 6" |
| Rubber wheel | 400 mm | 15.7" |
| Support plate channel | 500 mm | 19.7" |
| Working load limit | 400 kg | 882 lb |
| Net weight | 30 kg | 66 lb |
| Packaging dimension | 570x530x610 mm | 22.4"x20.9"x24" |

DIMENSIONS



DRAWING LIST



PARTS LIST

| CODE | POS. | DESCRIPTION | QTY. |
|-------------|------|---------------------|------|
| SL155 - 001 | 1 | Center pin | 01 |
| SL155 - 002 | 2 | Base | 01 |
| SL155 - 003 | 3 | Foot | 01 |
| SL155 - 004 | 4 | Washer Ø10 | 02 |
| SL155 - 005 | 5 | Hexagon Bolt M10x20 | 02 |
| SL155 - 006 | 6 | Circlip Ø30 | 02 |
| SL155 - 007 | 7 | Foot spring | 01 |
| SL155 - 008 | 8 | Copper washer Ø25 | 04 |
| SL155 - 009 | 9 | Bearing 6205 | 04 |
| SL155 - 010 | 10 | Wheel 4.00-8 | 02 |
| SL155 - 011 | 11 | Bottom spring | 02 |
| SL155 - 012 | 12 | Arm | 02 |
| SL155 - 013 | 13 | Circlips Ø12 | 14 |
| SL155 - 014 | 14 | Arm pin | 06 |

| CODE | POS. | DESCRIPTION | QTY. |
|-------------|------|------------------------|------|
| SL155 - 015 | 15 | Copper washer Ø12 | 14 |
| SL155 - 016 | 16 | Top spring | 02 |
| SL155 - 017 | 17 | Jaw | 02 |
| SL155 - 018 | 18 | Middle spring | 02 |
| SL155 - 019 | 19 | Connecting rod | 02 |
| SL155 - 020 | 20 | Base load plate | 01 |
| SL155 - 021 | 21 | Bottom handle (*) | 01 |
| SL155 - 022 | 22 | Top handle (*) | 01 |
| SL155 - 023 | 23 | Rubber handle (*) | 01 |
| SL155 - 024 | 24 | Dome axle caps Ø25 | 02 |
| SL155 - 025 | 25 | Limit washer Ø24 (*) | 02 |
| SL155 - 026 | 26 | Compression spring (*) | 01 |
| SL155 - 028 | 28 | Hexagon Nut M5 | 01 |
| SL155 - 029 | 29 | Hexagon Bolt M5x20 | 01 |

(*) Part universal for all Aardwolf Selflocking Trolley

When ordering, please give number of spare - part (code number) plus type of Selflocking Trolley.

For example: SL155 - 006 , QTY 02

SL155 - 021 , QTY 01

WARRANTY & DISCLAIMER

1. Warranty

After receiving the goods, it is strongly recommended to the buyer to check for sure, based on the spare part list and spare drawing attached with the goods, that the spare parts has not been damaged or lost during shipment. Any damages or losses must be officially claimed to Aardwolf Industries LLC's within 8 days since the date of goods receipts.

This handler is granted a 12-month warranty based on Aardwolf Industries LLC's warranty policy since the date of purchase.

The warranty coverage is not applicable:

- The clamp is handled incorrectly during manoeuvring.
- The operator fails to comply with the instructions in this booklet.
- The clamp's maximum permissible capacity is exceeded.
- The specifications for slab thickness are not followed.
- Damages are due to inadequate maintenance and inspections.
- Damage is due to improper storage.
- Repairs were performed by the user without our permission.
- Non-original spare parts were used.

2. Disclaimer

Aardwolf Industries LLC's warranty does not cover the incorrect assembly and misuse of Portable Gantry Crane, the lack of maintenance and repair of lifter as scheduled by the manufacturer, the operation carried out by non-competent or non-permission operator or non-original spare parts used or installed.

WE ARE PROVIDE

SIMPLE, REALIABLE, COST SAVING
AND **AWESOME IDEAS** FOR YOUR BUSINESS



SCAN ME TO SEE
PRODUCTS VIDEO



CONTACT US

sales@aardwolf.com.au | www.aardwolf.com.au

